



IOWA AVIATION SYSTEM PLAN

AIRPORT SUMMARY REPORT

DAVENPORT MUNICIPAL AIRPORT

Prepared for:

IOWA DEPARTMENT OF TRANSPORTATION
OFFICE OF AVIATION

2004

Prepared by:

Snyder & Associates, Inc. and Wilbur Smith Associates, Inc.



"The preparation of this document was financed in part through a planning grant from the Federal Aviation Administration (FAA) as approved under the Airport and Airway Improvement Act of 1982. The contents of this report reflect the views of the Consultant, which is responsible for the facts and accuracy of the data depicted herein, and do not necessarily reflect the official views or policy of the FAA. Acceptance of this report by the FAA does not in any way constitute a commitment on the part of the United States to participate in any development depicted therein, nor does it indicate that the proposed development is environmentally acceptable in accordance with applicable public laws."

IOWA AVIATION SYSTEM PLAN - AIRPORT SUMMARY REPORT

This summary is intended to provide a general understanding of the specific information, findings and recommendations from the Iowa Aviation System Plan. An individual airport report was prepared for each public owned airport in Iowa.

INTRODUCTION

The Iowa Department of Transportation Office of Aviation, along with the System Plan Advisory Committee and consultant team, developed a strategic approach by which to identify and evaluate the needs of the Iowa aviation system within the period 2004 to 2024.

The Iowa aviation system is an integral component of the state's transportation network. The aviation system meets aviation and economic needs and links Iowa to the national transportation system. Aviation provides an important and efficient means of transportation for the movement of people and goods. The vision for the Iowa aviation system is to have safe, quality facilities and services that support transportation demands and meet economic development and quality of life needs in the state.

The primary goal of the system plan is to provide a framework that supports informed decisions related to planning and developing the Iowa aviation system. The objectives of this update of the Iowa Aviation System Plan are to:

- Identify and analyze aviation assets, including airspace, ground facilities and services, and needs of the state to assure that aviation performs its role in Iowa's economy and for its citizens.
- Provide continued guidance for development of a system of airports to meet the state's existing and future air transportation needs, projecting five, ten, and 20-year projects and giving guidance to meet needs.
- Build consensus among public policy makers, airport sponsors and users so that the plan's recommendations can be more readily accomplished.

Each airport was assigned to a functional classification. Facility and service objectives were developed for functional classifications. Based on existing facilities and services, recommendations were set forth for each airport.

SYSTEM GOALS

The following five goals and associated performance measures were identified and adopted to guide the Iowa aviation system development and establish the framework for the Iowa Aviation System Plan:

- **Development** – To provide an airport system that meets current and future customer needs.
- **Economic Support** – To promote an aviation system that sustains and enhances Iowa's economy.
- **Safety & Security** – To promote a safe and secure system of airports.
- **Accessibility** – To provide a system of airports that is accessible from both the ground and the air.
- **Education** – To support a system of airports that provides educational and career opportunities and promotes an understanding of the benefits of Iowa's air transportation system.

Performance Measure & Benchmark Summary	
<p>Performance Measure: Development</p> <p><i>Benchmarks</i></p> <ul style="list-style-type: none"> • Airports meeting aircraft storage objectives • Airports meeting aircraft parking objectives • Airports meeting auto parking objectives • Airports with Pavement Condition Index (PCI) rating of 70 or higher on primary runway • Airports with current master plan or Airport Layout Plan (ALP) • Airports included in a local comprehensive plan or with surrounding land use controls/zonings <p>Performance Measure: Economic Support</p> <p><i>Benchmarks</i></p> <ul style="list-style-type: none"> • Airports with jet fuel • Airports with a runway length of 5,500 feet or greater • Airports with rental car services • Airports with a courtesy car available • Airports with a 24-7 fueling (credit card or FBO) • Iowa employment within a 30-minute drive time of Commercial or Enhanced Service airport • Employment growth counties within 30-minute drive time of Commercial or Enhanced Service airport • Airports supporting air cargo • Airports with aircraft maintenance <p>Performance Measure: Safety and Security</p> <p><i>Benchmarks</i></p> <ul style="list-style-type: none"> • Airports with clear approaches to primary runway • Airports with wildlife management plans • Airports with emergency response plans • Airports with perimeter fencing • Airports with controlled access to airfield 	<p>Performance Measure: Accessibility</p> <p><i>Benchmarks</i></p> <ul style="list-style-type: none"> • Airports with precision approaches • Airports with any instrument approach • Airports with approach lighting system (ALS) • Airports with a precision approach and ALS • Iowa's Population within 30 minutes of any system airport • Iowa's population within 30 minutes of a Commercial or Enhanced Service airport • Iowa's population within 30 minutes of a General Service airport • Iowa's population within 30 minutes of an airport with a non-precision approach • Iowa's population within 30 minutes of an airport with a precision approach • Iowa's population within 30 minutes of an airport with onsite weather reporting equipment • Iowa's population within 60 minutes of an airport with one or more scheduled commercial airlines • Iowa's population within 120 minutes of an airport with two or more scheduled commercial airlines • Iowa's population within 120 minutes of an airport with two or more scheduled commercial airlines or 60 minutes of an airport with one or more scheduled commercial airlines <p>Performance Measure: Education</p> <p><i>Benchmarks</i></p> <ul style="list-style-type: none"> • Airports with on-site flight instruction • Aviation related training programs connected with local schools • Airports with public outreach/educational (following National Air Transportation Association (NATA,) National Business Aircraft Association (NBAA,) and Aircraft Owners and Pilots Association (AOPA) guidelines) programs, or hosting functions to bring the non-flying public to the airport

AIRPORT FUNCTIONAL ROLES

Airports within any transportation system contribute to meeting air transportation and economic needs in different ways and at varying levels. While each airport within a system contributes in some way, airports fill different roles. Because airports in the Iowa aviation system play different roles, their needs for facilities and services also vary accordingly.

With input from the Iowa DOT Office of Aviation and the System Plan Advisory Committee, each public owned airport in Iowa was assigned to one of five roles.

RECOMMENDED FUNCTIONAL AIRPORT ROLES

- **Commercial Service Airports** – these airports support some level of scheduled commercial airline service and they support a full range of general aviation aircraft to virtually all domestic and possibly some international destinations.
- **Enhanced Service Airports** – these airports support almost all general aviation aircraft, including most types of business jets; these airports generally serve as transportation centers and economic catalysts for the State.
Facility and service objectives: 5,500' x 100' runway, parallel taxiway, precision approach, approach lighting, AWOS/ASOS, covered aircraft storage, jet and aviation fuel, full service FBO, and ground transportation
- **General Service Airports** – these airports support most twin and single engine general aviation aircraft and may experience occasional use by business jets. These airports support regional and in-state air transportation needs and local economic development.
Facility and service objectives: 4,000' x 75' runway, partial parallel taxiway or turnarounds, non-precision approach, AWOS/ASOS, covered aircraft storage, jet and aviation fuel, limited service FBO, and ground transportation.
- **Basic Service Airports** – these airports support primarily single engine general aviation aircraft but may also sometimes accommodate smaller twin-engine general aviation aircraft. These airports support local air transportation, and special use aviation activities.
Facility and service objectives: 3,000' x 60' runway (paved), 2,500' runway (turf), exits as needed, visual approach, covered aircraft storage, and aviation fuel.
- **Basis Service II Airports** – These airports support local air transportation, special use aviation activities, and may duplicate services in the area.
No facility and service objectives are specified for these airports.

AIRPORT FACILITY AND SERVICE OBJECTIVE

Airport facility and service objectives were established for the functional roles. These objectives were developed with input from the Iowa DOT Office of Aviation and System Plan Advisory Committee. The facility and services objectives should not be considered a requirement or development standard. Current airport facilities and services were compared to the facility and service objectives. Where existing facilities and services do not meet or exceed the objectives, consideration may be given by the airport owner to develop future facility and services improvements. Development of some facilities would require local support and justification of need through development of an airport master plan or through the environmental documentation process.

No state or federal funding resources are guaranteed or committed by inclusion of specific facility and service improvements in this report.

Facility and service objectives for commercial service airports should, at minimum, equal those developed for enhanced service airports as well as recommendations set forth in a current Airport Master Plan.

Basic Service II airports should meet state minimum safety standards: Runway width 50', visual approach 20:1, wind indicator, and 24 hour public telephone. Additional facility and service objectives were not established for Basic Service II airports.

The following table sets forth the facility and service objectives for Enhanced Service, General Service, and Basic Service airports.

FACILITY AND SERVICE OBJECTIVES

	Enhanced Service Airports	General Service Airports	Basic Service Airports
Airport Reference Code (ARC)	C-II	B-II	B-I or Below
Runway Length (Primary)	Minimum 5,500 feet	Minimum Length 4,000 feet	3,000 feet Paved; 2500 feet Turf
Runway Width	100 feet	75 feet	60 feet Paved; 120 feet Turf
Taxiway	Full Parallel	Partial or Turnarounds	Exits as Needed
Approach	Precision	Non-Precision	Visual
Runway Lighting	MIRL/HIRL	MIRL	LIRL (Pilot Controlled)
Taxiway Lighting	MITL/HITL	LITL	Not An Objective
Weather Reporting	AWOS/ASOS	AWOS/ASOS	Not An Objective
Approach Aids	ALS	ALS	Not An Objective
Visual Guidance Slope Indicator (VGSI)	Both Runway Ends	Both Runway Ends	Not An Objective
Runway End Identifier Lights (REILS)	Both Runway Ends	Both Runway Ends	Not An Objective
Rotating Beacon	Rotating Beacon	Rotating Beacon	Not an Objective
Lighted Wind Indicator	Lighted Wind Indicator	Lighted Wind Indicator	Lighted Wind Indicator/Wind Sock
RCO Facilities	RCO Facilities	Not an Objective	Not an Objective
Other Pavement Strength	To Be Determined	To Be Determined	To Be Determined
Covered Storage	For 100% of Based Aircraft	100% of Based Aircraft	100% of Based Aircraft
Aircraft Apron	100% of Daily Transient	50% of Daily Transient	50% of Daily Transient
Terminal/Administration Bldg.	Yes	Not An Objective	Not An Objective
Auto Parking	Spaces equal to 100% of Based Aircraft (paved)	75% of Based Aircraft	50% of Based Aircraft
Fencing	Perimeter	Not An Objective	Not An Objective
Other	Building for Airport Maintenance Equipment	Not An Objective	Not An Objective
Fuel	100LL & Jet A - 24 Hour	100LL & Jet A 24 Hour (as needed)	100LL
FBO	Full Service - 24 Hour	Limited	Not An Objective
Ground Transportation	Rental Car, Taxi or Other	Courtesy Car/Off Site Rental Car	Not An Objective
Food Services	Vending	Vending	Not An Objective
Phone	Yes	Yes	Yes
Restroom	Yes	Yes	Yes
Pilot Lounge	Yes with Weather Reporting	Yes with Weather Reporting	Not An Objective
Security*	*	*	*
Snow Removal	Snow Removal	Snow Removal	Yes

*See the Iowa DOT Security Enhancement Guidelines.



DAVENPORT MUNICIPAL AIRPORT (DVN) INDIVIDUAL SUMMARY REPORT

The Davenport Municipal Airport is owned and operated by the City of Davenport. An Airport Commission was established by the city to manage the airport. The airport is included in the National Plan of Integrated Airport Systems (NPIAS). The NPIAS identifies the Davenport Municipal Airport as a general aviation airport. The Iowa Aviation System Plan identifies the facility as an Enhanced Service airport.

General aviation airports in Iowa provide an important means of accessing the communities and regions they serve and provide a link to the national transportation system. The Davenport Municipal Airport serves the general aviation needs of Scott County. The airport is utilized by single engine, twin engine, turboprop, and business jet aircraft along with helicopters. The airport offers a full time fixed-base operator (FBO) that offers fueling, aircraft maintenance, flight instruction, aircraft sales, and charter operations. The airport also offers aircraft parking and hangar storage.

A wide range of aeronautical activities occur at the Davenport Municipal Airport including: personal travel, business travel both local and transient, just-in-time shipping, law enforcement, agricultural and medical transport.

LOCATION MAP



The Davenport Municipal Airport is located in Scott County. Regional access to the airport is provided by I-80, I-74, I-280, US 61 and Iowa Highway 130. The airport is located approximately 5 miles north of the Davenport central business district.

EXISTING FACILITIES

The Davenport Municipal Airport provides two runway facilities. Runway 15/33, the primary runway, is 5,501 feet in length and 100 feet in width. The concrete surfaced runway has a 122,000 pound dual tandem wheel loading. The runway is equipped with high intensity runway threshold and edge lights (HIRL). Runway 33 is equipped with runway end identifier lights (REIL) and visual approach slope indicator lights (VASI). Runway 15 is equipped with an approach light system (MALSR) as well as a VASI. Runway 15/33 is equipped with a localizer (LOC), Distance Measuring Equipment (DME) and Glide Slope (GS).

Runway 3/21 is 4,001 feet in length and 100 feet in width. The concrete surfaced runway has a 122,000 pound dual tandem wheel loading. The runway is equipped with medium intensity threshold and ledge lights (MIRL). Runways 3 and 21 are equipped with visual approach slope indicator lights (VASI).

A precision instrument approach may be made to Runway 15. Non-precision instrument approach (NPI) may be made to Runways 3 and 21. The following published approaches were available as of 7-10-03:

ILS Runway 15, VOR or GPS Runway 3, VOR or GPS Runway 21

A full parallel taxiway serves Runway 15/33. A partial parallel taxiway serves Runway 3/21. The taxiway is equipped with medium intensity taxiway edge lights (MITL). Connecting taxiways provide access from the parallel taxiway system to apron and hangar areas.

The airport has a rotating beacon and lighted wind indicator. An Automated Surface Observation System (ASOS) is located on the field. A remote communication outlet (RCO) has also been installed at the airport.

Landside facilities include a terminal building, a separate FBO terminal building, aircraft storage hangars, fuel facilities, apron area, vehicle parking and a facility for the storage of airport maintenance equipment.

The 5,200 square foot terminal building was constructed in 1950. A building has been dedicated for storage of airport maintenance equipment. Aircraft storage facilities are noted as follows:

- Tee hangars 7 structures 70 units
- Conventional hangars 5 structures 28,500 square feet

The conventional hangars have storage capacity for approximately 28 aircraft depending on stacking, aircraft size, and space utilization.

<u>Hangar</u>	<u>Year Constructed</u>	<u>Aircraft Storage</u>	<u>Area</u>
Tee	1950	10	9,000 square feet
Tee	1950	10	9,000 square feet
Tee	1950	10	9,000 square feet
Tee	1959	10	9,000 square feet
Tee	1964	10	9,000 square feet
Tee	1968	10	9,000 square feet
Tee	1968	10	9,000 square feet
Conventional	1970	2-3	2,250 square feet
Conventional	1970	2-3	2,250 square feet
Conventional	1950	6-8	8,000 square feet
Conventional	1962	6-8	8,000 square feet
Conventional	1974	6-8	8,000 square feet

Fuel (100LL, Jet A) storage is provided by two 20,000 gallon tanks. Fuel is dispensed by pump and truck.

The apron provides approximately 11,667 square yards of area that may accommodate up to 32 itinerant aircraft. An additional 9,778 square yards of apron area is used by based aircraft.

Vehicle parking facilities can accommodate no fewer than 150 vehicles.

A comprehensive land use plan was adopted by the City of Davenport. The plan depicts land uses compatible with the airport. The City of Davenport has established zoning districts to implement the land use plan. A tall structures zoning ordinance has been adopted by the City of Davenport and Scott County.


EXISTING SERVICES

Aeronautical services provided by the FBO include charter, aircraft rental, fuel (100LL, Jet A), power and airframe repair and pilot instruction. Fuel is available 24/7. The FBO provides 24/7 on-call service.

The FBO terminal building provides a pilot briefing room, restrooms, offices, pilot lounge, public lounge, vending machines and other amenities. Off-site ground transportation is available. A courtesy car is available at the airport.

The terminal building provides a public lounge, restrooms, meeting room and space in the basement for the Civil Air Patrol and the airport electrical vault.

DAVENPORT MUNICIPAL AIRPORT (DVN)



Federal Role: General Aviation Airport
State Role: Enhanced Service Airport

CURRENT AND FORECAST DEMAND

There were 99 aircraft, not including ultralights, based at the airport in 2003. The based aircraft mix is noted as follows:

Single engine piston	75	Twin engine piston	15
Turboprop	3	Turbojet	1
Helicopter	5	Ultralights	0
Gliders	0	Other	0

The number of based aircraft, excluding gliders, ultralights and others, is forecast to increase to no fewer than 111 in 2022.

There were an estimated 48,213 total annual operations conducted in 2003. The total number of operations, excluding military, is expected to increase to 59,899 in 2022.

<u>Operational Activity</u>	<u>2003</u>	<u>2007</u>	<u>2012</u>	<u>2022</u>
Based Aircraft	99	101	105	111
Annual Operations	48,213	51,455	56,262	59,899
Itinerant Operations	27,385	30,873	33,757	35,939
Local Operations	20,828	20,582	22,505	23,960

The based aircraft mix and aircraft operational mix are expected to change over the 20 year planning period. Reference may be made to Chapter Four of the 2004-2024 Iowa Aviation System Plan for additional forecast data regarding:

- Based aircraft mix
- Operational mix
- Annual Instrument Approaches
- Annual Instrument Operations

AIRPORT FACILITY AND SERVICE NEEDS

The Davenport Municipal Airport has been classified as an Enhanced Service airport and should provide facilities and services commensurate with its system role.

The following table summarizes current facilities and services, the airport's facility and service objectives, and actions/projects recommended to meet objectives within the context of the system plan. Local airports may have additional projects planned to accommodate local needs and demand.

Airside Facilities	Existing	System Objective	Recommendation
Airport Reference Code	C-II	C-II	None
Primary Runway Length	5,501'	5,500 min.	None
Primary Runway Width	100'	100'	None
Taxiway	Full Parallel	Full Parallel	None
Approach	Precision	Precision	None
Runway Lighting	HIRL	MIRL	None
Taxiway Lighting	MITL	MITL	None
Approach Aids	Runway 15-MALS	ALS	None
Visual Guidance Slope Indicators (VGSI)	Runway 15/33-PAPI	Both Ends	None
Runway End Identifier Lights (REIL)	Runway 33	Both Ends	None
Rotating Beacon	Yes	Rotating Beacon	None
Lighted Wind Indicator	Yes	Lighted Wind Indicator	None
RCO Facilities	Yes	RCO Facility	None
Pavement Strength	48,000 lb. DW	To be determined	None
Landside			
Covered Storage	98	100 % Based Aircraft	10 units
Aircraft Apron	32 tiedowns	100% Daily Transient	Expand
Terminal/Admin Building	Yes	Yes	Replace
Auto Parking	150	Space equal to 100% based aircraft	None
Fencing	Partial	Perimeter	Full
Storage	Yes	Building for maintenance	None
Fuel	Yes	100LL, Jet A	None
FBO	Yes	FBO	None
Ground Transportation	Yes	Rental Car, Taxi, Other	None
Food Services	Yes	Vending	None
Phone	Yes	Phone	None
Restroom	Yes	Restroom	None
Pilot Lounge	Yes	Pilot Lounge	None
Security*	*	*	*
Snow Removal	Yes	Snow Removal	None
Other	Heated hangar	De-Icing	None

*Security enhancements for each airport depend on the size and activity at the airport. Each airport is encouraged to complete a security plan that addresses security enhancements recommended by the Transportation Security Administration and the Iowa DOT.

There were reported ten (10) aircraft on a waiting list for storage space in 2003. Consideration may be given to additional storage (10,000 SF conventional hangar or 10 unit tee). The perimeter fence that extends partially around the airport should be extended.

The ACIP data sheets noted the following improvements to support the system plan facility and service objectives.

- Rehabilitate taxiways, obstruction removal and grading south of the localizer
- Fencing
- Vault and RCO relocation
- Replace terminal building
- Entrance road and terminal apron expansion

SYSTEM DEVELOPMENT COSTS

<u>Development Item</u>	<u>2004-2009</u>
Rehabilitate taxiway, obstruction mitigation, grading (Runway 33)	\$400,000
Fencing	\$662,000
Vault, RCO relocation	\$220,000
Terminal building	\$3,350,000
Entrance road, terminal apron expansion	\$1,300,000
Aircraft storage (10)	\$250,000
Total	\$6,182,000

OTHER RECOMMENDATIONS

There are no other recommendations beyond those that support the system plan facility and services objectives.

Snyder & Associates, Inc.



SNYDER & ASSOCIATES
Engineers and Planners

2727 SW Snyder Blvd.
Ankeny, Iowa 50023
Phone: 515.964.2020
Fax: 515.964.7938
www.snyder-associates.com

Wilbur Smith Associates, Inc.



6600 Clough Pike
Cincinnati, OH 45244
Phone: 513.233.3700
Fax: 513.624.5182
www.wilbursmith.com

Airport Summary Reports can be found on the Office of Aviation website: www.iawings.com