



LEGEND

- ⊥ Traffic Sign
- × Drum
- 42" Channelizer
- ▬▬▬ Arrow Board
- Temporary Crash Cushion
- ▨ Work Area
- ← Direction of Traffic

SPEED LIMIT (mph)	D	E	M	T
45 - 50	45'	300'	630'	100'
55 - 60	55'	400'	770'	100'
65 - 70	65'	500'	910'	100'

When the Average Daily Traffic (ADT) exceeds 20,000 vehicles per day or when a traffic queue extends beyond the advanced signing, place RIGHT LANE CLOSED 4 MILES and RIGHT LANE CLOSED 2 MILES signs (W20-5) on both sides of the roadway 4 miles and 2 miles in advance of the lane closure, respectively.

Place Concrete Barrier Markers at 10 ft C/C on bridge rail.

① For roadways with a posted speed limit of 60 mph or greater before road work: Place SPEED LIMIT AHEAD sign and SPEED LIMIT 55 sign prior to the lane closure as shown. Place SPEED LIMIT 65 or 70 beyond the work area as shown.

② Refer to SI-881 for sign details.

Possible Contract Items:
 Painted Symbols and Legends
 Pavement Marking Items
 Pavement Markings Removed
 Symbols and Legends Removed
 Temporary Barrier Rail
 Temporary Crash Cushions

Possible Tabulations:
 108-22
 108-29
 108-30
 108-33

IOWA DOT

STANDARD ROAD PLAN

REVISIONS: Added 85' tangent section at beginning of TBR flare and added Detail 'A'.

REVISION	12	10-21-14
TC-421		
SHEET 1 of 1		

APPROVED BY DESIGN METHODS ENGINEER

Brian Smith

LANE CLOSURE WITH TBR