



Refer to berm slope location table in project plans for locations of Points: A1, A2, A3, B1, B2, and B3.

- ① Variable slope.
- ② Face of Bridge Berm slope may vary and is determined by the A and B points.
- ③ Refer to contract documents for limits of the slope protection.




**PLAN VIEW OF BRIDGE BERM
(BARNROOF FORESLOPE)**

 Iowa Department of Transportation	REVISION
	NEW 04-19-11
STANDARD ROAD PLAN	EW-201
REVISIONS: New. Replaces RL-17.	SHEET 1 of 3
 <small>APPROVED BY DESIGN METHODS ENGINEER</small>	
BRIDGE BERM GRADING WITHOUT RECOVERABLE SLOPE (BARNROOF SECTION)	




PART SECTION C-C

- ② Face of Bridge Berm slope may vary and is determined by the A and B points.
- ③ Refer to contract documents for limits of the slope protection.
- ④ Refer to RK series for longitudinal subgrade slope.
- ⑤ Temporary grading slope.
- g = Pavement cross slope.



SECTION B-B



SECTION A-A

 Iowa Department of Transportation	REVISION
	NEW 04-19-11
STANDARD ROAD PLAN	EW-201
SHEET 2 of 3	
REVISIONS: New. Replaces RL-17.	
 <small>APPROVED BY DESIGN METHODS ENGINEER</small>	
BRIDGE BERM GRADING WITHOUT RECOVERABLE SLOPE (BARNROOF SECTION)	

This image can be viewed in 3D on the the ERL or at our website <http://www.iowadot.gov/design/stdrdpln.htm>



This image can be viewed in 3D on the the ERL or at our website <http://www.iowadot.gov/design/stdrdpln.htm>

 Iowa Department of Transportation	REVISION	
	NEW	04-19-11
STANDARD ROAD PLAN	EW-201	
	SHEET 3 of 3	
REVISIONS: New. Replaces RL-17.		
<i>Deanna Maifield</i> APPROVED BY DESIGN METHODS ENGINEER		
BRIDGE BERM GRADING WITHOUT RECOVERABLE SLOPE (BARNROOF SECTION)		