


REVISION - 04-07 - ADDED PERMISSIBLE CONSTRUCTION JOINT IN CURTAIN WALL.
FWH 45-3-87

**BILL OF REINFORCING FOR ONE HEADWALL 45° SKEW
CULVERT SPAN x CULVERT HEIGHT**


LOCATION	SHAPE	BAR	5' x 6'		5' x 5'		5' x 4'		5' x 3'		BAR				
			NO.	LENGTH	WT.	NO.	LENGTH	WT.	NO.	LENGTH		WT.			
FENCE ANCHOR		5fo	2	3'-1"	7	2	3'-1"	7	2	3'-1"	7	5fo			
WINGWALL, B.F.H.	L	4b1	1	39'-9"	27	1	33'-11"	23	1	28'-1"	19	1	22'-3"	15	4b1
WINGWALL, B.F.H.	S	4b2	1	25'-0"	17	1	21'-6"	14	1	18'-0"	12	1	14'-6"	10	4b2
WINGWALL, B.F.H.	L	4b3	4	19'-5" TO 36'-10"	75	3	19'-5" TO 31'-0"	51	2	19'-5" TO 25'-2"	30	1	19'-5"	13	4b3
WINGWALL, B.F.H.	S	4b4	4	12'-9" TO 39'-9"	48	3	12'-9" TO 19'-9"	33	2	12'-9" TO 16'-3"	19	1	12'-9"	9	4b4
WINGWALL, F.F.H.	L	5b5	1	39'-9"	41	1	33'-11"	35	1	28'-1"	29	1	22'-3"	23	5b5
WINGWALL, F.F.H.	S	5b6	1	25'-0"	26	1	21'-6"	22	1	18'-0"	19	1	14'-6"	15	5b6
WINGWALL, F.F.H.	L	5b7	5	13'-6" TO 36'-10"	131	4	13'-6" TO 31'-0"	93	3	13'-6" TO 25'-2"	60	2	13'-6" TO 19'-5"	34	5b7
WINGWALL, F.F.H.	S	5b8	5	9'-3" TO 23'-9"	85	4	9'-3" TO 19'-9"	60	3	9'-3" TO 12'-9"	40	2	9'-3" TO 12'-9"	23	5b8
WINGWALL, F.F.V.	L	4c1	37	2'-7" TO 8'-9"	140	31	2'-7" TO 7'-8"	106	25	2'-7" TO 6'-8"	77	19	2'-7" TO 5'-8"	52	4c1
WINGWALL, F.F.V.	S	4c2	22	2'-7" TO 8'-9"	82	19	2'-7" TO 7'-8"	65	15	2'-7" TO 6'-8"	46	12	2'-7" TO 5'-8"	33	4c2
WINGWALL, F.F.V.	L	4c3	1	7'-6"	5	2	6'-6"	9	2	5'-6"	7	2	4'-6"	6	4c3
WINGWALL, F.F.V.	S	4c3	2	7'-6"	10	1	6'-6"	4	2	5'-6"	7	1	4'-6"	3	4c3
WINGWALL, B.F.V.	L	5c4	15	2'-7" TO 5'-0"	59	15	2'-7" TO 5'-0"	59	15	2'-7" TO 5'-0"	59	15	2'-7" TO 5'-0"	59	5c4
WINGWALL, B.F.V.	S	5c5	4	2'-7" TO 3'-5"	13	4	2'-7" TO 3'-5"	13	4	2'-7" TO 3'-5"	13	4	2'-7" TO 3'-5"	13	5c5
WINGWALL, B.F.V.	L	5c6	22	9'-2" TO 12'-9"	251	16	9'-2" TO 11'-8"	174	10	9'-2" TO 10'-8"	103	4	9'-2" TO 9'-8"	39	5c6
WINGWALL, B.F.V.	S	5c7	18	7'-9" TO 12'-7"	191	15	7'-9" TO 11'-8"	152	11	7'-9" TO 10'-7"	105	8	7'-9" TO 9'-9"	73	5c7
WINGWALL, B.F.V.	L	5c8	-	-	-	-	-	-	-	-	-	-	-	-	5c8
WINGWALL, B.F.V.	S	5c8	-	-	-	-	-	-	-	-	-	-	-	-	5c8
WINGWALL, B.F.V.	L	5c9	1	11'-5"	12	2	10'-5"	22	2	9'-5"	20	2	8'-5"	18	5c9
WINGWALL, B.F.V.	S	5c9	2	11'-5"	24	1	10'-5"	11	2	9'-5"	20	1	8'-5"	9	5c9
APRON, LONGIT., BOT.	L	4d1	3	20'-8"	41	3	17'-10"	36	3	15'-0"	30	3	12'-2"	24	4d1
APRON, LONGIT., BOT.	S	4d2	3	32'-6"	65	3	26'-9"	54	3	21'-0"	42	3	15'-4"	31	4d2
APRON, LONGIT., BOT.	L	4d3	3	21'-0"	42	3	17'-7"	35	3	14'-2"	28	3	10'-10"	22	4d3
APRON, LONGIT., TOP	L	6f1	5	20'-8"	155	5	17'-10"	134	5	15'-0"	113	5	12'-2"	91	6f1
APRON, LONGIT., TOP	L	6f2	6	6'-10" TO 17'-0"	107	5	6'-10" TO 14'-2"	76	4	5'-2" TO 11'-4"	50	3	4'-4" TO 8'-6"	29	6f2
APRON, LONGIT., TOP	S	6f3	4	6'-5" TO 16'-9"	70	3	6'-11" TO 13'-10"	47	3	4'-8" TO 11'-0"	35	2	4'-0" TO 8'-2"	19	6f3
APRON, LONGIT., TOP	L	6f4	1	39'-9"	60	1	33'-11"	51	1	28'-1"	42	1	22'-3"	33	6f4
APRON, LONGIT., TOP	S	6f5	1	25'-0"	38	1	21'-6"	32	1	18'-0"	27	1	14'-6"	22	6f5
PARAPET, VERTICAL	L	4i1	11	6'-8"	49	11	6'-8"	49	11	6'-8"	49	11	6'-8"	49	4i1
PARAPET, HORIZONTAL	L	7j1	4	7'-4"	60	4	7'-4"	60	4	7'-4"	60	4	7'-4"	60	7j1
APRON, TRANS., TOP	L	6m1	5	7'-2" TO 12'-4"	57	5	7'-2" TO 7'-11"	57	5	7'-2" TO 7'-11"	57	5	7'-2" TO 7'-11"	57	6m1
APRON, TRANS., TOP	S	6m2	18	8'-0" TO 14'-5"	303	14	8'-0" TO 12'-11"	219	10	8'-0" TO 11'-5"	146	7	8'-0" TO 10'-3"	96	6m2
APRON, TRANS., TOP	L	6m3	4	9'-0"	54	4	8'-1"	49	4	7'-4"	44	4	6'-10"	41	6m3
APRON, TRANS., BOT.	L	6m4	10	2'-9" TO 10'-4"	113	8	2'-9" TO 10'-3"	78	6	2'-9" TO 8'-1"	49	4	2'-9" TO 6'-0"	26	6m4
CURTAIN, HORIZONTAL	L	6p1	4	7'-3"	44	4	7'-3"	44	4	7'-3"	44	4	7'-3"	44	6p1
CURTAIN, HORIZONTAL	L	6p2	4	23'-4"	140	4	20'-2"	121	4	17'-0"	102	4	13'-11"	84	6p2
CURTAIN, HORIZONTAL	L	6p3	4	9'-7"	58	4	8'-7"	52	4	7'-6"	45	4	6'-6"	39	6p3
WING SLOPE, BOTH F.	L	6s1	2	8'-4"	25	2	8'-4"	25	2	8'-4"	25	2	8'-4"	25	6s1
WING SLOPE, BOTH F.	S	6s2	2	7'-11"	24	2	7'-11"	24	2	7'-11"	24	2	7'-11"	24	6s2
WING SLOPE, BOTH F.	L	6s3	2	33'-10"	102	2	27'-11"	84	2	22'-0"	66	2	16'-2"	49	6s3
WING SLOPE, BOTH F.	S	6s4	2	20'-6"	62	2	16'-10"	51	2	13'-2"	40	2	9'-6"	29	6s4
WING SLOPE, F.F.	L	6s5	1	39'-1"	59	1	33'-2"	50	1	27'-3"	41	1	21'-4"	32	6s5
WING SLOPE, F.F.	S	6s6	1	25'-6"	38	1	21'-11"	33	1	18'-3"	27	1	14'-8"	22	6s6
CURTAIN, VERT.	L	5i1	19	6'-5"	127	17	6'-5"	114	13	6'-5"	87	10	6'-5"	67	5i1

ESTIMATED QUANTITIES ONE HEADWALL
REIN. STEEL 3137 lbs.
PARAPET 1.5
WINGWALLS 7.7
FOOTINGS 16.7
CONCRETE 25.9 cu. yd.
5.6
13.5


SUBSCRIPT L DENOTES LONG WING.
SUBSCRIPT S DENOTES SHORT WING.



SECTION THRU CURTAIN WALL



BENT BAR DETAILS



CURTAIN WALL DETAIL

HEADWALL NOTES:
THIS HEADWALL IS BASED ON A 3/4 SLOPE NORMAL TO CENTERLINE OF ROADWAY.
THE SIDES OF THE FOOTING ARE TO BE FORMED TO INSURE CORRECT LINE AND GRADE.
ALL EXPOSED CORNERS OF 90° OR SHARPER ARE TO BE FILLETED WITH A 1/4" DRESSED AND BEVELED STRIP.
ALL REINFORCING IS TO BE SECURELY WIRED IN PLACE BEFORE THE CONCRETE IS POURED. ALL SLAB AND FLOOR REINFORCING STEEL IS TO BE SUPPORTED BY BAR CHAIRS AT INTERVALS OF NOT MORE THAN 3'-0" IN EITHER DIRECTION AS OUTLINED IN THE STANDARD SPECIFICATIONS.
CLEAR DISTANCE FROM FACE OF CONCRETE TO NEAR REINFORCING BAR IS TO BE 2" UNLESS OTHERWISE NOTED OR SHOWN. CLEARANCE TO THE BOTTOM ENDS OF VERTICAL BARS SHALL BE 3 INCHES.
CONCRETE QUANTITIES ARE ESTIMATED FROM BACK OF PARAPET.
HORIZONTAL TAILS OF BARS "b" & "s" ESTIMATED TO EXTEND 2'-0" BEYOND BACK OF PARAPET (INTO END OF BARRELL LONGITUDINAL BARS "d", "6f1", "6f4" AND "6f5" ESTIMATED TO PROJECT INTO END SECTION OF BARRELL A MINIMUM OF 2'-0" BEYOND BACK OF PARAPET.
THE "LENGTH" COLUMN REFLECTS TOTAL NUMBER OF FEET NECESSARY TO MEET THESE REQUIREMENTS.

CULVERT HEIGHT (H)	ANGLE	
	Θ _L	Θ _S
3'	21° 21'	63° 51'
4'	21° 10'	62° 10'
5'	21° 04'	61° 05'
6'	26° 59'	60° 21'
8'	26° 53'	59° 23'
10'	26° 49'	58° 48'
12'	26° 47'	58° 24'

STANDARD DESIGN
FLARED WING HEADWALLS
FOR
REINFORCED CONCRETE BOX CULVERTS

IOWA DEPARTMENT OF TRANSPORTATION - HIGHWAY DIVISION
MAY, 1987
FWH 45-3-87

LATEST REVISION DATE 04-07
APPROVED BY: [Signature]
DESIGNED BY: [Signature]

NOTES:
1. SEE DRAWING RCB-GI-87 FOR GENERAL INFORMATION, SPECIFICATIONS, AND DESIGN STRESSES.