

SIGN PLACEMENT ON
TYPE III BARRICADES




Typical Sign Placement



Sign Placement with
Supplemental Sign


 Iowa Department of Transportation	REVISION	
	3	04-17-12
STANDARD ROAD PLAN	TC-252	
	SHEET 1 of 3	
<small>REVISIONS: Added Road Closure symbol for Safety Closures and graphics to show location of signs on Type III barricade. Changed title.</small>		
<i>Deanna Macfild</i> <small>APPROVED BY DESIGN METHODS ENGINEER</small>		
ROUTES CLOSED TO TRAFFIC		

SITUATION 1 (RURAL)
Project Route Closure



Where L distance is less than 1000',
move this barricade to the center
of the traffic lane.

SITUATION 1 (URBAN)
Project Route Closure



Where L distance is less than 500',
move this barricade to the center
of the traffic lane.

① In situation 1, if the intersection is the point of detour these signs and barricade will become the responsibility of the contracting authority and may be modified by the contracting authority to fit detour signing.

LEGEND

- Traffic Sign
- Type III Barricade
- Work Area
- Road Closure


Possible Contract Items:
Traffic Control
Safety Closures

Possible Tabulation:
108-13A

	REVISION
	3 04-17-12
STANDARD ROAD PLAN	TC-252
SHEET 2 of 3	
<small>REVISIONS: Added Road Closure symbol for Safety Closures and graphics to show location of signs on Type III barricade. Changed title.</small>	
<small>APPROVED BY DESIGN METHODS ENGINEER</small>	
ROUTES CLOSED TO TRAFFIC	


SITUATION 2

Public cross-traffic maintained.
No access to project.




SITUATION 3

No access to project
(Applicable to T-Intersections)




SITUATION 4

Public cross-traffic maintained.
No access to project.




SITUATION 5

Public cross-traffic maintained.
Contractor and resident access.



SITUATION 6

No public access. Contractor and resident
access only. (Applicable to T-Intersections)



LEGEND

- Traffic Sign
- Type III Barricade
- Work Area
- Road Closure

Location	A
Urban	200'
Rural	500'

During suspension of work, (such as over winter):

- Use Situation 2 on two-lane to four-lane projects.
- Situation 5 is preferred where cross-traffic is maintained.

② In urban locations, remove the ROAD CLOSED 500 FT sign and replace it with the ROAD CLOSED AHEAD sign.

<p>Iowa Department of Transportation</p> <p>STANDARD ROAD PLAN</p> <p>REVISIONS: Added Road Closure symbol for Safety Closures and graphics to show location of signs on Type III barricade. Changed title.</p> <p style="text-align: right;"><i>Deanna Mufield</i> APPROVED BY DESIGN METHODS ENGINEER</p>	REVISION 3 04-17-12
	TC-252
	SHEET 3 of 3
<p>ROUTES CLOSED TO TRAFFIC</p>	