





SECTION A-A
(Shoulder Panel)



ELEVATION



SECTION C-C



SECTION B-B

Price bid for "Bridge End Drain, RF-40" shall be considered full compensation for furnishing, installing, and constructing the Bridge End Drain as shown.

Contract Items:

- Paved Shoulder, P.C. Concrete
- Bridge End Drain, RF-40


Incidental to Paved Shoulder:

- Modified Subbase
- Polymer Grid

Incidental to Bridge End Drain:

- Macadam Stone Base Material
- Erosion Stone
- Engineering Fabric
- Excavation, hauling, and disposing of material
- Tabulation: 104-8A

- ① Paved shoulder panel will be paid for as, "Paved Shoulder, P.C. Concrete".
- ② Modified subbase and polymer grid shall be installed under shoulder panels as shown in Section A-A on Standard Road Plan RK-20(3), RK-25(3), or RK-26(3).
- ③ Rock flume shall be located 5 feet or more from the nearest transverse pavement joint. Joints are determined by the bridge approach section.
- ④ Rock flume shall extend to ditch bottom.



PANEL LOCATIONS

STANDARD ROAD PLAN RF-40	
REVISION: Rock Flume shall extend to ditch bottom.	REVISION NO. 2
<i>William J. Allen</i> APPROVED BY DESIGN METHODS ENGINEER	REVISION DATE 04-19-05
ROCK FLUME FOR BRIDGE END DRAIN	