

Sampling & Testing Guide-Minimum Frequency

**ROADWAY & BORROW EXCAVATION & EMBANKMENTS**  
Section 2102 & 2107

Matls. IM 204  
Appendix A (US) Units

October 18, 2005  
Supersedes October 3, 2000

MATERIAL OR CONSTRUCTION ITEM	TESTS	METHOD OF ACCEPTANCE & RELATED IMs	QC/ACCEPTANCE S&T					ASSURANCE, CORRELATION & VERIFICATION S&T					REMARKS ➔	
			SAMPLE BY	FREQ.	SAMPLE SIZE	TEST BY	REPORT	S&T TYPE	SAMPLE BY	FREQ.	SAMPLE SIZE	TEST BY		REPORT
<b>SOURCE INSPECTION</b>														
Special Backfill														
Crushed Stone (4132.02)		AS 209												
Crushed Concrete (4132.02)		209												
RAP (2303.02)														
Gravel (4132.03)		AS 209												
Granular Backfill		AS 209												
Engineering Fabric (4196)	Quality	AS 496.01												
<b>GRADE INSPECTION</b>														
Special & Select Backfill	Moisture	309, 310	RCE	1/lift/1500 ft.	1 lb	RCE	Field Book							
Compaction Control														
Moisture & Density	Density (Proctor)	309, 310	RCE	1/soil class	25 lb	RCE	Field Book							
Compaction Control	Moisture			1/lift/1500 ft.	1lb									
Compacted Materials	Density	311, 326, 334	RCE	1/lift/mile or 1/1500 cy ➔		RCE	Field Book							Unless otherwise specified or directed
AS-Approved Source ASD-Approved Shop Drawing S&T-Sampling & Testing		Cert A-Type A Certification Cert C-Type C Certification Cert D-Type D Certification				RCE-Resident Construction Engineer/Project Engineer DME-District Materials Engineer CTRL-Central Materials Office CONTR-Contractor					ASSUR-Independent Assurance VERIF-Verification CORR-Correlation MON-Monitor			