Letter width & interletter spacing shown on charts.
All dimensions are in inches.
Letters & Borders - Smooth silver reflective sheeting
Background - Interstate blue, reflective sheeting
Scale: ½ inch = 1 foot

MAINLINE SIGNS



G 5.47	1.69	A 6.25	1.69	S 5.47

F 5.00	1.69	O 5.78	1.69	O 5.78	2.11	D 5.47

E 5.00	1.69	X 5.86	1.69	I 1.41	1.69	T 5.00

All letters 10" series "C"

8" × 2"

L 5.00	1.69	O 5.78	2.11	D 5.47	1.69	G 5.47	2.11	I 1.41	2.11	N 5.47	2.11	G 5.47

C 5.47	1.12	A 6.25	1.69	M 6.48	2.11	P 5.48	2.11	I 1.41	2.11	N 5.47	2.11	G 5.47

Iowa Department of Transportation

STANDARD ROAD PLAN

REVISION	
NEW	10-17-06

RD-50

SHEET 1 of 5

REVISIONS: Replaces paren-number standards with one multi-page standard.
Remove reference to detachable copy.

Deanna Maifield
APPROVED BY DESIGN METHODS ENGINEER

TYPE 'B' LOGO SERVICE SIGNS
FOR SINGLE EXIT INTERCHANGES

RAMP SIGNS

MR-G



*Centered - based on length of panel required

All letters 8" Series 'D'

G	1.50	A	1.50	S
5.38		6.69		5.38

MR-F



*Centered - based on length of panel required

F	1.50	O	1.50	O	1.88	D
4.88		5.62		5.62		5.38

MR-L



*Centered - based on length of panel required

L	1.50	O	1.88	D	1.50	G	1.88	I	1.88	N	1.88	G
4.88		5.62		5.38		5.38		1.25		5.38		5.38

MR-C



*Centered - based on length of panel required

C	1.00	A	1.50	M	1.88	P	1.88	I	1.88	N	1.88	G
5.38		6.69		6.19		5.38		1.25		5.38		5.38

Iowa Department of Transportation

STANDARD ROAD PLAN

REVISION	
NEW	10-17-06

RD-50

SHEET 2 of 5

REVISIONS: Replaces paren-number standards with one multi-page standard. Remove reference to detachable copy.

Deanna Maifield

APPROVED BY DESIGN METHODS ENGINEER

TYPE 'B' LOGO SERVICE SIGNS FOR SINGLE EXIT INTERCHANGES

MAINLINE SIGNS

M3-F



M3-L



M3-C



M3-F



F	1.69	O	1.69	O	2.11	D
5.00		5.78		5.78		5.47

E	1.69	X	1.69	I	1.69	T
5.00		5.86		1.41		5.00

All letters 10" series "C"

8"

2"

M3-L



M3-C



L	1.69	O	2.11	D	1.69	G	2.11	I	2.11	N	2.11	G
5.00		5.78		5.47		5.47		1.41		5.47		5.47

C	1.12	A	1.69	M	2.11	P	2.11	I	2.11	N	2.11	G
5.47		6.25		6.48		5.48		1.41		5.47		5.47

Iowa Department of Transportation

STANDARD ROAD PLAN

REVISION	
NEW	10-17-06

RD-50

SHEET 3 of 5

REVISIONS: Replaces paren-number standards with one multi-page standard.
Remove reference to detachable copy.

Deanna Maifield
APPROVED BY DESIGN METHODS ENGINEER

TYPE 'B' LOGO SERVICE SIGNS
FOR SINGLE EXIT INTERCHANGES

MR-F



* Centered - based on length of panel required

Business Panel 36" X 16"

All letters 8" Series 'D'

F	1.50	O	1.50	O	1.88	D
4.88		5.62		5.62		5.38

MR-L RAMP SIGNS



* Centered - based on length of panel required

L	1.50	O	1.88	D	1.50	G	1.88	I	1.88	N	1.88	G
4.88		5.62		5.38		5.38		1.25		5.38		5.38

MR-C



* Centered - based on length of panel required

C	1.00	A	1.50	M	1.88	P	1.88	I	1.88	N	1.88	G
5.38		6.69		6.19		5.38		1.25		5.38		5.38

Iowa Department of Transportation

STANDARD ROAD PLAN

REVISION	
NEW	10-17-06

RD-50

SHEET 4 of 5

REVISIONS: Replaces paren-number standards with one multi-page standard. Remove reference to detachable copy.

Deanna Maifield

APPROVED BY DESIGN METHODS ENGINEER

TYPE 'B' LOGO SERVICE SIGNS FOR SINGLE EXIT INTERCHANGES

MAINLINE SIGNS

M1-A



M3-A



M1-A



M3-A



A	0.5	T	0.6	T	1.7	R	1.6	A	1.7	C	1.1	T	1.6	I	2.2	O	2.0	N	2.1	S
6.3		5.0		5.0		5.5		6.3		5.5		5.0		1.4		5.8		5.5		5.5

All letters 10" series 'C'

E	1.7	X	1.6	I	1.7	T
5.0		5.9		1.4		5.0

RAMP SIGNS

MR-A



*Centered - based on length of panel required

All letters 8" Series 'D'

A	0.4	T	0.5	T	1.4	R	1.5	A	1.4	C	1.0	T	1.5	I	1.8	O	1.9	N	1.9	S
6.8		4.9		4.9		5.4		6.8		5.4		4.9		1.3		5.6		5.4		5.4

Iowa Department of Transportation

STANDARD ROAD PLAN

REVISION	
NEW	10-17-06

RD-50

SHEET 5 of 5

REVISIONS: Replaces paren-number standards with one multi-page standard. Remove reference to detachable copy.

Deanna Maifield

APPROVED BY DESIGN METHODS ENGINEER

TYPE 'B' LOGO SERVICE SIGNS FOR SINGLE EXIT INTERCHANGES