

**CHAPTER 8**  
**HOT MIX ASPHALT (HMA) PAVEMENT, BASES, AND SUBBASES**

<b>8.00</b>	<b>TABLES AND REPORT FORMS</b> -----	<b>8-1</b>
8.01	TABLES FOR BITUMINOUS MATERIALS AND HMA CONSTRUCTION -----	8-1
8.02	REPORT FORMS -----	8-1
	Form Identification and Use -----	8-1
<b>8.10</b>	<b>ACCEPTANCE AND TESTING</b> -----	<b>8-2</b>
8.11	FIELD TESTS AND CERTIFICATION OF MATERIALS -----	8-2
	Asphalt Materials -----	8-2
	Aggregates -----	8-2
8.12	RESPONSIBILITY AND DOCUMENTING HMA MIXTURE PROPORTIONING CHANGES -----	8-3
	Adjusting Asphalt Binder Contents -----	8-3
	Documenting Corrective Action for Noncomplying Air Voids Test on Specimens Taken from Constructed Pavement -----	8-4
	Adjusting Aggregate Proportions -----	8-4
	Filler/Bitumen Ratio -----	8-5
8.13	DENSITY CONTROLS FOR HMA CONSTRUCTION -----	8-5
	Uncompacted HMA Samples -----	8-5
	Compacted HMA Samples -----	8-6
	Procedures for Construction of Test Strips -----	8-8
	Resolving Density-Void Conflicts -----	8-11
8.14	TESTING FOR SMOOTHNESS -----	8-12
	Use of Straightedge and Rolling Surface Checker -----	8-12
8.15	CHECKING TRANSVERSE JOINTS FOR SMOOTHNESS -----	8-13
<b>8.20</b>	<b>MEASUREMENTS AND PAYMENT COMPUTATIONS</b> -----	<b>8-14</b>
8.21	ASPHALT BINDER -----	8-14
	Tank Measurement and Asphalt Binder Content Determination -----	8-14
	Measuring Asphalt Binder for Small Quantities -----	8-15
	Asphalt Binder Quantities and Pay Adjustments -----	8-15
8.22	TARGET VALUES FOR ASPHALT BINDER CONTENT IN JOB MIXES -----	8-15
8.23	WEIGHING OF HMA MATERIALS -----	8-16

**8.30 EQUIPMENT USE AND INSPECTION -----8-17**

8.31 INSPECTION AT HMA PLANTS -----8-17

8.32 INSPECTING THE MIXING TIME OF HMA PLANTS-----8-18

**8.40 GENERAL CONSTRUCTION-----8-19**

8.41 UNSTABLE SUBGRADES AND SUBBASES-----8-19

    Locating Unstable Areas -----8-19

    Determining Cause -----8-19

    Overdepth Aeration and Recomposition -----8-19

    Special Treatments-----8-20

8.42 STAKING METHOD FOR HMA PAVEMENTS -----8-20

8.43 GUIDELINE STRINGS AND EDGE ALIGNMENT -----8-20

8.44 LONGITUDINAL JOINTS -----8-21

8.45 TACK COATS USING EMULSIONS -----8-21

    For Dilution -----8-21

    Application Rate for Diluted Emulsion-----8-21

    Sample for Compliance-----8-22

    Measurement for Pay -----8-22

    Settlement of Diluted Emulsions -----8-22

**8.50 BASE, INTERMEDIATE, AND SURFACE COURSES -----8-23**

8.51 HMA WEDGE CONSTRUCTION FOR SUPERELEVATION OF CURVES -----8-23

    Automatic Slope Control-----8-23

    Placement of Wedge-----8-24

    Sequence of Placement -----8-24

8.52 LAYING WIDTHS FOR HMA-----8-25

8.53 SPREAD RATES FOR HMA BASE, INTERMEDIATE, AND SURFACE  
COURSES-----8-25

8.54 HMA RESURFACING ON CITY STREETS -----8-26

    Preliminary Layout -----8-26

    Construction-----8-27

    Thickness Taper at Curb Line-----8-28

    Extending Paver Width -----8-28

8.55 COLD WEATHER HMA CONSTRUCTION -----8-28

    Temperature Determination for Placing HMA and Liquid Bitumens -----8-29

8.56 RELEASE AGENTS AND SOLVENTS -----8-29

**8.60 RUMBLE STRIPS IN HMA SHOULDERS-----8-30**

8.61 CONSTRUCTION CONSIDERATIONS – MILLED RUMBLE STRIPS -----8-30

8.62 CONSTRUCTION CONSIDERATIONS – ROLLED RUMBLE STRIPS -----8-30

**8.70 INSPECTOR’S GUIDE - HMA PAVING & RESURFACING -----8-33**

    Additional Requirements for Interstate Projects -----8-35

    Additional Requirements for Full-Depth Paving-----8-35

    Additional Requirements for Winter Shutdown -----8-35

**8.80 USE OF SPECIAL EQUIPMENT-----8-36**

    Material Transfer Vehicles -----8-36

    Other Material Transfer Vehicles-----8-36

    Mat Smoothness Machine -----8-38

    Windrow Pick-up Equipment -----8-38

