

RF-27	Added 21 in. and 24 in. pipe size information. Changed 'D' in table for 18 in. pipe. Corrected weight values in table.
RF-30A	Added dashed box culvert, modified length of Porous Backfill on typical section - Soil Plug, and modified notes.
RF-30B	Changed Standard referenced for Corrugated Pipe.
RF-32	Clarified general notes.
RF-40	Corrected labeling errors in prior plan view: Changed Wood Excelsior Mat to Erosion Stone and Scourstop to Macadam Stone in Plan view.
RF-45	Removed pipe size row from table and added Possible Tabulation .
RK INDEX	
RK-19A	Changed curb gutter line to match barrier gutter line. Removed unnecessary circle note 3's.
RK-20	Changed curb gutter line to match barrier gutter line. Referenced PV-2 for 4" curb detail.
RK-25	Changed curb gutter line to match barrier gutter line. Referenced PV-2 for 4" curb detail.
RK-26	Changed curb gutter line to match barrier gutter line. Referenced PV-2 for 4" curb detail.
RL INDEX	
RL-14A	Adjusted 'Edge of Normal Shoulder' placement on section views. Added blockouts on page 3 and 4. Changed 'Plan' description on page 1 and 4.
RM INDEX	
RM-42	Added note to allow RA-69 imprint on bottom of casting.
RR INDEX	
RR-1	Changed subdrain size to 4". Changed 6" Special Backfill to 12" Modified Subbase. Added minimum drain trench width. Added Rodent Guard.
RR-2	Removed words "without dowels" from possible bid item names. Formatting.
RR-3	Void. Moved into RR-2.
RR-4	Moved subbase patch to RR-26. Formatting.
RR-5	Void. Moved into RR-4.
RR-7	Void. Replaced by PV-10.
RR-10	Void. Information found in other RR's and Spec.
RR-17	Void. Moved into RR-18.
RR-18	Removed Subdrain details. Added patch drainage note. Changed title and general formatting.
RR-26	New: Moved common Drain Placement Detail from RR-2 through RR-18. Modified drain size and subbase. Added rodent guard.
SI INDEX	
SI-113	Corrected 'D' dimension in Section A-A.
SI-114	New.

<p>SI-131 SI-175 SI-211</p>	<p>Added rectangular tube post attachment details. Updated formatting. Added circle notes 2 and 3. Clarified measurement and payment. Added notes for clarification.</p>
<p>SW INDEX SW-509 SW-510 SW-548 SW-549</p>	<p>Added dimension for spacer center wall. Added dimension for spacer center wall. Removed opening through barrier. Renumbered Circle Notes. Removed opening through barrier. Renumbered Circle Notes.</p>
<p>TC INDEX TC-217 TC-271 TC-282</p>	<p>Fixed Spelling Errors and Added Color Remove requirement of span-wire mounted signal (spec covers this and alternate). Updated language. Modified to include safety edge.</p>