

May 1, 2015

**ADDENDUM NO. 1
to the
Iowa Department of Transportation
Proposal No. 14269
For
Luminaires for Various Locations Statewide
Letting Date: May 13, 2015**

Notice To Bidders:

This Addendum is issued to incorporate the following additions, deletions, corrections, and/or clarifications to the terms or specifications and shall hereby be considered a part of the final contract documents. This Addendum shall supersede, modify and/or change all statements to the contrary in the bid proposal and shall take precedence over previous terms or specifications.

CHANGE:

- **Groups 5-11 - L-4 specifications had been changed as follows:**

ILP B-6T8-UH

Description: Wet location, Cold temperature

Size: 48"

Material: Non-metallic thermo-plastic

Mounting: surface

Ballast: Electronic cold-temperature rated, matched to lamp characteristics

Lamp: 6, T-8, 32 watts 120/277 voltage - L4's for Wash Bay area

- Lamps need to be provided with all fixtures on this proposal.

Use attached "Revised Schedule of Prices" for submitting your bid.

All Bidders must sign and return this Addendum for the bid opportunity referenced above. Failure to do so may subject the Bidder to disqualification. If a bid response has already been submitted, this Addendum shall be signed and emailed or faxed to the Purchasing Section prior to the scheduled Letting Date.

Company Name (*please print*)

Date

Signature

Sincerely,

Jean Gustafson, Purchasing Agent
Phone No. 515-239-1173 Fax No. 515-239-1538
jean.gustafson@dot.iowa.gov

**Purchasing Section
800 Lincoln Way, Ames, Iowa 50010**

**P: 515-239-1310 F: 515-239-1538
DOT.purchasing@dot.iowa.gov**

Number	14269
Date Required	05/13/2015 1:00 PM

Title Luminares at Various Locations Statewide
 Delivery Location AMES, IA 50010
 Shipping Terms FOB Destination/Freight Prepaid

Vendor
 PA Name Jean Gustafson
 Phone 515-239-1173
 E-Mail jean.gustafson@dot.iowa.gov

Description

Product Availability Days: _____

All items must be bid.

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
1 Osage Maintenance Luminaires						
1.1	39	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Delivery Location: OSAGE, IA 50461			
Comments:						
1.2	4	EACH	Luminiare Type L-3 Interior Manufacturer: Lithonia PV 2 48 MVOLT Description: Heavy duty parabolic industrial fluorescent strip Size: 96 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 4, T8, 32 watts Light shield to be included. Delivery Location: OSAGE, IA 50461			
Comments:						
1.3	12	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts12 - L4's for Wash Bay area Part #: FPF2265-8-A4LMP Delivery Location: OSAGE, IA 50461			
Comments:						
2 Waverly Maintenance Luminaires						

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
2.1	58	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Delivery Location: WAVERLY, IA 50677			
Comments:						
2.2	3	EACH	Luminaire Type L-3 Interior Manufacturer: Lithonia PV 2 48 MVOLT Description: Heavy duty parabolic industrial fluorescent strip Size: 96 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 4, T8, 32 watts Light shield to be included. Delivery Location: WAVERLY, IA 50677			
Comments:						
2.3	14	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts Part #: FPF2265-8-A4LMP Delivery Location: WAVERLY, IA 50677			
Comments:						
3	Allison Maintenance Luminaires					
3.1	42	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Delivery Location: ALLISON, IA 50602			
Comments:						

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
3.2	4	EACH	Luminaire Type L-3 Interior Manufacturer: Lithonia PV 2 48 MVOLT Description: Heavy duty parabolic industrial fluorescent strip Size: 96 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 4, T8, 32 watts Light shield to be included. Delivery Location: ALLISON, IA 50602			
Comments:						
3.3	16	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts Part #: FPF2265-8-A4LMP Delivery Location: ALLISON, IA 50602			
Comments:						
4	Council Bluffs South Maintenance Luminaires					
4.1	36	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Delivery Location: COUNCIL BLUFFS, IA 51502			
Comments:						
4.2	8	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts Part #: FPF2265-8-A4LMP Delivery Location: COUNCIL BLUFFS, IA 51502			
Comments:						
5	Grundy Center Maintenance Luminaires					

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
5.1	42	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: GRUNDY CENTER, IA 50638			
Comments:						
5.2	8	EACH	Luminaire Type L-4 Interior ILP B-6T8-UH Description: Wet location, Cold temperature Size: 48" Material: Non-metallic thermo-plastic Mounting: surface Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 6, T-8, 32 watts 120/277 voltage - L4's for Wash Bay area Delivery Location: GRUNDY CENTER, IA 50638			
Comments:						
6	Fort Dodge Maintenance Luminaires					
6.1	41	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: FORT DODGE, IA 50501			
Comments:						
6.2	8	EACH	Luminaire Type L-4 Interior ILP B-6T8-UH Description: Wet location, Cold temperature Size: 48" Material: Non-metallic thermo-plastic Mounting: surface Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 6, T-8, 32 watts 120/277 voltage - L4's for Wash Bay area Delivery Location: FORT DODGE, IA 50501			
Comments:						
7	Jefferson Maintenance Luminaires					

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
7.1	20	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: JEFFERSON, IA 50129			
Comments:						
8	Malcolm Maintenance Luminaires					
8.1	38	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: MALCOM, IA 50157			
Comments:						
8.2	4	EACH	Luminaire Type L-4 Interior ILP B-6T8-UH Description: Wet location, Cold temperature Size: 48" Material: Non-metallic thermo-plastic Mounting: surface Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 6, T-8, 32 watts 120/277 voltage - L4's for Wash Bay area Delivery Location: MALCOM, IA 50157			
Comments:						
9	Grinnell Maintenance Luminaires					
9.1	43	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: GRINNELL, IA 50112			
Comments:						

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
9.2	4	EACH	Luminaire Type L-4 Interior ILP B-6T8-UH Description: Wet location, Cold temperature Size: 48" Material: Non-metallic thermo-plastic Mounting: surface Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 6, T-8, 32 watts 120/277 voltage - L4's for Wash Bay area Delivery Location: GRINNELL, IA 50112			
Comments:						
10	Newton Maintenance Luminaires					
10.1	51	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: NEWTON, IA 50208			
Comments:						
10.2	8	EACH	Luminaire Type L-4 Interior ILP B-6T8-UH Description: Wet location, Cold temperature Size: 48" Material: Non-metallic thermo-plastic Mounting: surface Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 6, T-8, 32 watts 120/277 voltage - L4's for Wash Bay area Delivery Location: NEWTON, IA 50208			
Comments:						
11	Carlisle Maintenance Luminaires					
11.1	32	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: CARLISLE, IA 50047			
Comments:						

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
11.2	8	EACH	Luminaire Type L-4 Interior ILP B-6T8-UH Description: Wet location, Cold temperature Size: 48" Material: Non-metallic thermo-plastic Mounting: surface Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 6, T-8, 32 watts 120/277 voltage - L4's for Wash Bay area Delivery Location: CARLISLE, IA 50047			
Comments:						
12	Correctionville Maintenance Luminaires					
12.1	22	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: CORRECTIONVILLE, IA 51016			
Comments:						
13	Sac City Maintenance Luminaires					
13.1	45	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: SAC CITY, IA 50583			
Comments:						
13.2	10	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts 12 - L4's for Wash Bay area Delivery Location: SAC CITY, IA 50583			
Comments:						
14	Emmetsburg Maintenance Luminaires					

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
14.1	45	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: EMMETSBURG, IA 50536			
Comments:						
14.2	8	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts12 - L4's for Wash Bay area Delivery Location: EMMETSBURG, IA 50536			
Comments:						
15	Albia Maintenance Luminaires					
15.1	65	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: ALBIA, IA 52531			
Comments:						
15.2	10	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts12 - L4's for Wash Bay area Delivery Location: ALBIA, IA 52531			
Comments:						
16	Mt. Pleasant Maintenance Luminaires					

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
16.1	53	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: MOUNT PLEASANT, IA 52641			
Comments:						
16.2	17	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts12 - L4's for Wash Bay area Delivery Location: MOUNT PLEASANT, IA 52641			
Comments:						
17	Washington Maintenance Luminaires					
17.1	53	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #:FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: WASHINGTON, IA 52353			
Comments:						
17.2	17	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts12 - L4's for Wash Bay area Delivery Location: WASHINGTON, IA 52353			
Comments:						
18	Davenport Construction Luminaires					

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
18.1	120	EACH	Luminaire Type L-1 Interior Manufacturer: Lithonia C 2 32 MVOLT 1/4 Description: General purpose channel Size: 12" x 48" Mounting: Surface Ballast: Electronic, matched to lamp characteristics Lamp: 4, T8, 32 watts Delivery Location: DAVENPORT, IA 52809			
Comments:						
19	Dyersville Maintenance Luminaires					
19.1	50	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: DYERSVILLE, IA 52040			
Comments:						
19.2	15	EACH	Luminaire Type L-4 Interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts 12 - L4's for Wash Bay area Delivery Location: DYERSVILLE, IA 52040			
Comments:						
20	Urbana Maintenance Luminaires					
20.1	63	EACH	Luminaire Type L-2 Interior Approved Brands: Lithonia Spec-Beam Part #: FGB24-6-32-NI-X20-MVOLT-GEB10IS-LP841EX Cooper L-2 #METALUX HB1632-L4 Description: Spec-Beam, fluorescent high bay T8 lamps Size: 24x48 inches Material: Painted steel Mounting: Pendant Ballast: Electronic, matched to lamp characteristics Lamp: 6, T-8, 32 watts L2's for Shop and Mechanics Bay area Delivery Location: URBANA, IA 52345			
Comments:						

Item	Qty	Unit	Description	Part #	Unit Price	Total Price
20.2	6	EACH	Luminaire Type L-4 interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts12 - L4's for Wash Bay area Delivery Location: URBANA, IA 52345			
Comments:						
21	Marion Maintenance Luminaires					
21.1	6	EACH	Luminaire Type L-4 interior Approved Brands: Rig-A-Lite FPFII Series #FPF2265-8-A4LMP Cooper L-4 #FAIL-SAFE HDF-8-432-UNV-EB81-Z Description: Moisture-sealed and corrosion resistant strip fluorescent - FPFII Series Size: 96 inches Material: Non-metallic thermo-plastic Mounting: Pendant Ballast: Electronic cold-temperature rated, matched to lamp characteristics Lamp: 4, T-8, 32 watts12 - L4's for Wash Bay area Delivery Location: MARION, IA 52302			
Comments:						

I HEREBY CERTIFY THAT THIS PROPOSAL MEETS OR EXCEEDS THE MINIMUM REQUIREMENT INCLUDING SPECIFICATIONS AND ADDENDUMS.

Signature: _____ Date: _____