

January 13, 2016

**ADDENDUM NO. 5**  
**For Salt Dome Roof Restorations for 8 Maintenance Garage Locations in Iowa**  
For the  
**Iowa Department of Transportation**  
**For: Proposal 15535**  
**Letting Date: 01/20/2016**

**Notice To Bidders:**

This Addendum is issued to incorporate the following additions, deletions, corrections, and/or clarifications to the terms or specifications and shall hereby be considered a part of the final contract documents. This Addendum shall supersede, modify and/or change all statements to the contrary in the bid proposal and shall take precedence over previous terms or specifications.

**CHANGE: Changes to Specifications:**

**Section 01 2100, Paragraph 1.05.A:** Add the following paragraph:

B. Framing replacement criteria to be as follows: broken or cracked members, water damaged members, and dry rot. Discolored framing members do not need to be replaced if in the opinion of the contractor that it is structurally sound and will not affect the application of the coating system.

**Changes to Drawings:**

**Desoto Salt Dome Roof Restoration, Sheet A-1R:** Add the following General Note:

9. The Dome has an existing Urethane foam coated system that was damaged by hail and is leaking. The contractor will apply the new coated foam roofing system over the existing coating system.

All Bidders must sign and return this Addendum for the bid opportunity referenced above. Failure to do so may subject the Bidder to disqualification. If a bid response has already been submitted, this Addendum shall be signed and emailed or faxed to the Purchasing Section prior to the scheduled Letting Date.

\_\_\_\_\_  
Company Name *(please print)*

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature

Sincerely,

Jody McNaughton, Purchasing Agent III  
Phone No. 515-239-1298 Fax No. 515-239-1538  
Jody.McNaughton@dot.iowa.gov