


**GENERAL NOTES:**

1. CONTRACTOR TO CONTACT UTILITIES BEFORE STARTING EXCAVATION: IOWA ONE CALL 811
2. CONTRACTOR TO PROVIDE DOCUMENTATION OF MINIMUM 5 YEARS EXPERIENCE INCLUDING WORK ON SIMILAR PROJECTS. DOCUMENTATION OF EXPERIENCE REQUIRED PRIOR TO BID AWARD.
3. CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFYING ALL DIMENSIONS. IF THERE ARE DISCREPANCIES, CONTACT IOWA DOT - OFFICE OF SUPPORT SERVICES PRIOR TO BID
4. MAINTAIN AND PROTECT EXISTING BUILDINGS. REPAIR OR REPLACE DAMAGES AT GENERAL CONTRACTORS COST
5. PROVIDE CONTROL JOINTS IN SLAB AT 12' MAX SPACING. ALIGN WITH CORNERS. ALL JOINTS SHALL BE SEALED
6. GRADE TO PROVIDE POSITIVE DRAINAGE AWAY FROM BRINE BUILDING & CONTAINMENT
7. ALL SITE WATER SERVICE PIPING MUST BE INSTALLED MINIMUM OF 60" BELOW GRADE TO TOP OF PIPE
8. PROVIDE NEW WATER AND ELECTRIC SERVICE TO BRINE BUILDING W/CORRESPONDING METERS. COORDINATE W/UTILITY COMPANY. MAKE TRANSFORMER UPGRADES AS NECESSARY
9. REMOVAL OF ASPHALT DUE TO TRENCHING THE UNDERGROUND UTILITIES MAY BE REPLACED WITH CONCRETE

**LEGEND**

- WATER PIPING
- POINT OF CONNECTION, NEW WORK TO EXISTING
- ELECTRIC (UNDERGROUND)
- GAS PIPING
- EXISTING TO REMAIN
- EXISTING TO BE REMOVED (NIC)
- NEW



SHEET SIZE: 24" X 36"