



REPLACE INCANDESCENT BULB W/LED BULB, THIS FIXTURE

MEN'S RESTROOM ONLY - PATCH, REPAIR, PRIME & PAINT "STRIPPED" CEILING (RESULTING FROM FIXTURE AND ASBESTOS REMOVAL - NOT IN CONTRACT, WORK BY OTHERS.) PROVIDE AND INSTALL NEW LED FIXTURES

FRONT STORAGE ROOM HAS 3-EXISTING LIGHTS PRESENT. REMOVE, PATCH, REPAIR AS NECESSARY. PAINT CEILING, (COLOR TO BE CHOSEN BY OWNER.) PROVIDE AND INSTALL NEW LED FIXTURES

2ND FLOOR RCE OFFICE - CEILING PLAN
SCALE: 1/8"=1'-0"

GENERAL NOTES:

1. ALL DIMENSIONS TO BE FIELD VERIFIED BY INSTALLER. NOTE ANY DISCREPANCIES AND NOTIFY PROJECT MANAGER
2. ALL IOWA DOT EMPLOYEES IN THE AFFECTED SPACE TO CONTINUE WORKING AS USUAL. COORDINATE PROJECT WORK TO ACCOMMODATE THESE EMPLOYEES
3. EXISTING FIXTURES TO REMAIN EXCEPT AS NOTED. DO NOT REMOVE ANY OF THESE FIXTURES FROM THE CEILING OR DISTURB THE CEILING IN ANY WAY, EXCEPT AS NOTED. REMOVE LENS, BULBS AND BALLAST ONLY
4. REMOVE ALL EXISTING WIRING IN THE FIXTURES THAT IS NOT REQUIRED FOR NEW LED CONNECTION
5. CLEAN FIXTURES, WIPE SURFACE, USE MATCHING TOUCH UP PAINT TO COVER ANY VISIBLE CHIPS IN THE PAINTED SURFACE OF THE FIXTURES BEFORE INSTALLING NEW COMPONENTS
6. INSTALL NEW BALLAST, REQUIRED WIRING, LED BULBS AND NEW CUSTOM LENSES
7. FOLLOW LIGHT REMOVAL WITH INSTALLATION SO THE SPACE REMAINS LIT. IF THIS IS NOT POSSIBLE, PROVIDE TEMPORARY LIGHTING
8. DISPOSE OF ALL REMOVED ITEMS APPROPRIATELY OFF SITE.
9. MEN'S RESTROOM ONLY - PATCH AND REPAIR CEILING, PREPARE, PRIME AND PAINT CEILING (COLOR TO MATCH THE REST OF THE CEILINGS) INSTALL NEW LED LIGHT FIXTURES
10. REMOVE THE THREE EXISTING "OLD-STYLE" LIGHT FIXTURES PRESENT IN THE FRONT STORAGE ROOM, THEN REPAIR, PATCH, PRIME AND PAINT THE CEILING. PROVIDE AND INSTALL NEW LED FIXTURES IN THE SAME LOCATIONS AS THE EXISTING FIXTURES.

SYMBOL KEY:

-  MODIFY INSIDE OF EXISTING FLOURESCENT FIXTURE TO BE LED PROVIDE NEW LENS
-  NO WORK THIS AREA
-  PROVIDE NEW LED FIXTURE AT THESE LOCATIONS

DISTRICT: 06	COUNTY: SCOTT	DAVENPORT, IOWA	DAVENPORT RCE OFFICE - NEW LED LIGHTS CEILING PLAN AND DETAILS
 IOWADOT SMARTER SIMPLER CUSTOMER DRIVEN OFFICE OF SUPPORT SERVICES 900 LINCOLN WAY AMES, IOWA 50010 (515)231-1299			
DATE: 7 MAR 2016			
DRAWN BY: DESIGN TEAM			
APPROVED: J BURNES			
REVISIONS:			
1 SHEET OF 1			
A-1			