

Date: September 15, 2016

**ADDENDUM NO. 2
to the
Iowa Department of Transportation
Proposal No. 17382
For Overhead doors at Ames DOT Complex South Repair Shop Doors RA1 & RA2
Letting Date: 09/21/2016**

Notice To Bidders:

This Addendum is issued to incorporate the following additions, deletions, corrections, and/or clarifications to the terms or specifications and shall hereby be considered a part of the final contract documents. This Addendum shall supersede, modify and/or change all statements to the contrary in the bid proposal and shall take precedence over previous terms or specifications.

Change: Section 2.03 Door Components A. Track: Rolled galvanized steel, 0.090 inch thick; ~~3 inch~~ will change to **2" wide**, continuous one piece per side; galvanized steel mounting brackets 1/4 inch thick.

All Bidders must sign and return this Addendum for the bid opportunity referenced above. Failure to do so may subject the Bidder to disqualification. If a bid response has already been submitted, this Addendum shall be signed and emailed or faxed to the Purchasing Section prior to the scheduled Letting Date.

Company Name (*please print*)

Date

Signature
Sincerely,

Jody McNaughton, Purchasing Agent (title)
Phone No. 515-239-1298 Fax No. 515-239-1538
Jody.mcnaughton@dot.iowa.gov