

Date: September 21, 2016

**ADDENDUM NO. 2
to the
Iowa Department of Transportation
Proposal No. 17462
For Replacement of OH door at Emmetsburg DOT Maintenance Facility
Letting Date: 09/26/2016**

Notice To Bidders:

This Addendum is issued to incorporate the following additions, deletions, corrections, and/or clarifications to the terms or specifications and shall hereby be considered a part of the final contract documents. This Addendum shall supersede, modify and/or change all statements to the contrary in the bid proposal and shall take precedence over previous terms or specifications.

Change: This project has been changed to include the door, track and hardware need to provide and install a new overhead door at the Emmetsburg DOT Maintenance Facility. All other specifications still apply.

All Bidders must sign and return this Addendum for the bid opportunity referenced above. Failure to do so may subject the Bidder to disqualification. If a bid response has already been submitted, this Addendum shall be signed and emailed or faxed to the Purchasing Section prior to the scheduled Letting Date.

Company Name (*please print*)

Date

Signature
Sincerely,

Jody McNaughton, Purchasing Agent (title)
Phone No. 515-239-1298 Fax No. 515-239-1538
Jody.mcnaughton@dot.iowa.gov

Schedule of Prices

Project Description: Contractor to remove old overhead door and provide and install new overhead door including new track and hardware at Emmetsburg DOT Maintenance Facility. This is for the door only and installation of the door no track is needed.

Item No.	Description	Quantity	Unit of Measure	Total Price
1	Emmetsburg Maintenance Facility 1405 Adams Emmetsburg IA 50536 Type of Door: Truck/ Mechanics Bay Overhead Door Spec Section 08 3613.05 . Estimated Rough Opening size 14' 2 inches wide x 12' high. Note: this is for the replacement of the door only and installation of the door no Track is needed.	1	Each	\$ _____

I hereby certify that this response meets or exceeds the minimum requirements including specifications and addendums.

Authorized
Signature:

Contact Person:

Company:

(Print Name)

Address:

Contractor number: _____

(City) (State) (Zip Code)

Phone No:

Email: _____

Fax No.:

I acknowledge receipt of addendums: _____

Section 2 Specifications & Contractor Responsibilities

- 2.1 Specifications** Contractor to provide all labor, materials, and equipment necessary for the replacement of a damaged overhead door at the Emmetsburg Maintenance Facility as per specifications. ~~This is for the replacement of the door and installation of the door no track is needed.~~ Contractor is to provide and do a complete installation of the overhead door, track and any hardware necessary to complete this project.

The Successful bidder will be responsible for reconnecting garage door opener and any electrical requirements to ensure it is fully operational. In the event a vendor is unable to provide electrical services it will be the vendor's responsibility to work with a sub-contractor to complete the electrical work. The current location has electrical service available it is just a reconnect that will be required.

Bidders shall provide prices for the OH door per the following specifications: Section 08 3613.05 - truck bays, mechanics bays

Successful bidders will be required to visit the DOT facility to verify all measurements prior to submitting a solicitation response.

Note: Measurement given in the schedule of prices is an estimated rough opening size only.

It is highly recommended that contractors verify measurements prior to bidding.

It is a requirement that the awarded contractor will be responsible for ensuring and verifying that they have an exact fit measurement prior to placing and order.

Successful bidders will be required to dismantle all the existing door and hardware equipment to allow for the installation of the new overhead door. The Contractor shall dispose of all debris off site.

All Bidders will be required to submit along with their proposal a manufacturer specification or cut sheet and MFG warranty on the product being proposed.

Additional mandatory specifications are included after section 3.6