

LOCAL AGENCY LETTING INFORMATION

CONTENTS

DATE ADDED	COUNTY	LETTING DATE	PAGE NUMBER
May 19, 2017	Cedar.....	June 13, 2017	2
May 3, 2017	Davis.....	June 5, 2017	3
May 24, 2017	Franklin.....	June 9, 2017	4
May 16, 2017	Jefferson.....	June 1, 2017	5
May 9, 2017	Jones	June 2 & 6, 2017	6
May 11, 2017	Linn.....	May 30, 2017	7
May 9, 2017	Muscatine.....	June 5, 2017	10
May 11, 2017	Page	May 26, 2017	11
May 11, 2017	Webster.....	May 30, 2017	12

LOCAL AGENCY LETTING INFORMATION

Cedar County -- LFM-201704--7X-16
Proposal Guarantee \$ 12,500.00
Courthouse, Tipton, IA, June 13, 2017, 9:00 AM
332-Box Culverts, Single 10'x 6'x 48' R.C.B. Culvert Replacement
Contact # 563-886-6102 FAX # 563-886-2110

526.000	CY	EXCAVATION, CLASS 20
134.900	CY	FLOODED BACKFILL
128.600	TON	GRANULAR MATERIAL
1.000	STA	LOCATING TILE LINES
200.000	LF	MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
1.000	LS	MOBILIZATION
1.000	EACH	MOBILIZATIONS, EMERGENCY EROSION CONTROL
1.000	EACH	MOBILIZATIONS, EROSION CONTROL
400.000	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
13008.000	LB	REINFORCING STEEL
1.000	LS	REMOVAL OF EXISTING BRIDGE
8.000	EACH	SILT BASINS
96.300	CY	STRUCTURAL CONCRETE (RCB CULVERT)
138.000	LF	SUBDRAIN, PERFORATED PLASTIC PIPE, 4 IN. DIA.

LOCAL AGENCY LETTING INFORMATION

Davis County -- L-C026(041228)-26
Proposal Guarantee \$ 0.00
County boardroom, Bloomfield, IA, June 05, 2017, 8:30 AM
Abutment Repair,
Contact # 641-664-2542 FAX # 641-664-2293

40.000 TON GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
160.000 LF L5x3x3/8, ASTM A36
1.000 LS MOBILIZATION
320.000 LF PILES, STEEL, HP 12 X 63
60.000 TON REVETMENT, CLASS E
120.000 LF Steel Channel, 15x33.9, ASTM A572, Grade 50
60.000 LF Steel Plate, 1/2 x 17

LOCAL AGENCY LETTING INFORMATION

Franklin County -- LFM-31-231--7X-35

Proposal Guarantee \$ 12,500.00

Courthouse, Hampton, IA, June 09, 2017, 2:00 PM

RCB Culvert Replacement - Single Box, Remove existing timber bridge with high abutments and replace with 14'x8'x54' Precast Concrete Box Culvert.

Contact # 641-456-4671 FAX # 641-456-3219

46.000 LF CULVERT, CORRUGATED METAL ENTRANCE PIPE, 36 IN. DIA.
201.000 SY ENGINEERING FABRIC
627.000 CY EXCAVATION, CLASS 10, ROADWAY AND BORROW
694.000 CY EXCAVATION, CLASS 20
200.000 LF PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
2.000 EACH PRECAST CONCRETE BOX CULVERT STRAIGHT END SECTION,
54.000 LF PRECAST CONCRETE BOX CULVERT,
1.000 LS REMOVAL OF EXISTING STRUCTURES
110.000 LF SUBDRAIN, TILE, 10 IN. DIA.
1.000 EACH TEMPORARY STREAM DIVERSION
1.000 LS TRAFFIC CONTROL

LOCAL AGENCY LETTING INFORMATION

Jefferson County Secondary Road Department County -- FM-CO51(71)--55-51
Proposal Guarantee \$ 0
June 1, 2017 Fairfield - Jefferson County Auditors Office, IA 10:00 A.M.
Bid Turn-in Location: Jefferson County Auditors Office
Farm to Market & Secondary Road System Jefferson County Granular Surfacing of Roadways
Sites: Thru out county
Contact # 641-472-6528 FAX # 641-469-3398

- 4,533 ton 2312-8260081 Crushed Stone - On Road Dist. 1
- 4,153 ton 2312-8260081 Crushed Stone - On Road Dist. 2
- 3,640 ton 2312-8260081 Crushed Stone - On Road Dist. 3
- 4,633 ton 2312-8260081 Crushed Stone - On Road Dist. 4
- 4,980 ton 2312-8260081 Crushed Stone - On Road Dist. 5
- 3,755 ton 2312-8260081 Crushed Stone - On Road Dist. 6
- 5,120 ton 2312-8260081 Crushed Stone - On Road Dist. 7

Jefferson County Secondary Road Department County -- L-2017.2-73-51
Proposal Guarantee \$ 0
June 1, 2017 Fairfield - Jefferson County Auditors Office, IA 10:00 A.M.
Bid Turn-in Location: Jefferson County Auditors Office
Farm To Market & Secondary Road System Jefferson County Granular Surfacing of Roadways
Contact # 641-472-6528 FAX # 641-469-3398

- 3,760 ton 2312-8260081 Crushed Stone - On Road Dist 1
- 4,310 ton 2312-8260081 Crushed Stone - On Road Dist 2
- 4,884 ton 2312-8260081 Crushed Stone - On Road Dist 3
- 3,236 ton 2312-8260081 Crushed Stone - On Road Dist 4
- 3,410 ton 2312-8260081 Crushed Stone - On Road Dist 5
- 4,928 ton 2312-8260081 Crushed Stone - On Road Dist 6
- 3,430 ton 2312-8260081 Crushed Stone - On Road Dist 7

LOCAL AGENCY LETTING INFORMATION

Jones County -- M-0418
 Proposal Guarantee \$ 2,000.00
 County Engineer's Office, Anamosa, IA, June 02, 2017, 3:00 PM
 Grading, Grading 1/4 mile from Eby's Mill Rd. North to station 12+05
 Contact # 319-462-3785 FAX # 319-462-3903

- 32.000 UNIT CLEARING AND GRUBBING
- 58.000 LF CULVERT, CORRUGATED METAL ROADWAY PIPE, 18 IN. DIA.
- 54.000 LF CULVERT, CORRUGATED METAL ROADWAY PIPE, 24 IN. DIA.
- 108.000 LF CULVERT, UNCLASSIFIED ENTRANCE PIPE, 18 IN. DIA.
- 1840.200 CY EXCAVATION, CLASS 10, ROADWAY AND BORROW
- 113.000 CY EXCAVATION, CLASS 20
- 980.000 TON GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
- 467.000 LF MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
- 1.000 LS MOBILIZATION
- 1.000 EACH MOBILIZATIONS, EROSION CONTROL
- 6.000 EACH SAFETY CLOSURE
- 485.000 LF SILT FENCE
- 449.000 LF SILT FENCE FOR DITCH CHECKS
- 1.200 ACRE STABILIZING CROP - SEEDING AND FERTILIZING
- 60.000 TON SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
- 665.500 CY TOPSOIL, STRIP, SALVAGE AND SPREAD
- 1.000 LS TRAFFIC CONTROL

Jones County -- M-0418
 Proposal Guarantee \$ 2,000.00
 County Engineer's Office, Anamosa , IA, June 06, 2017, 10:00 AM
 Grading, Grading 1/4 mile from Eby's Mill Rd. North to station 12+05
 Contact # 319-462-3785 FAX # 319-462-3903

- 32.000 UNIT CLEARING AND GRUBBING
- 58.000 LF CULVERT, CORRUGATED METAL ROADWAY PIPE, 18 IN. DIA.
- 54.000 LF CULVERT, CORRUGATED METAL ROADWAY PIPE, 24 IN. DIA.
- 108.000 LF CULVERT, UNCLASSIFIED ENTRANCE PIPE, 18 IN. DIA.
- 1840.200 CY EXCAVATION, CLASS 10, ROADWAY AND BORROW
- 113.000 CY EXCAVATION, CLASS 20
- 980.000 TON GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
- 467.000 LF MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
- 1.000 LS MOBILIZATION
- 1.000 EACH MOBILIZATIONS, EROSION CONTROL
- 6.000 EACH SAFETY CLOSURE
- 485.000 LF SILT FENCE
- 449.000 LF SILT FENCE FOR DITCH CHECKS
- 1.200 ACRE STABILIZING CROP - SEEDING AND FERTILIZING
- 60.000 TON SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
- 665.500 CY TOPSOIL, STRIP, SALVAGE AND SPREAD
- 1.000 LS TRAFFIC CONTROL

LOCAL AGENCY LETTING INFORMATION

 Linn County -- L-EDGEWOOD RD(18)
 Proposal Guarantee \$ 37,500.00
 County Engineer's Office, Marion , IA, May 30, 2017, 9:00 AM
 352-Excavation, GRADING AND CULVERTS
 Contact # 319-892-6400 FAX # 319-892-6419

- 2414.000 TON CHOKe STONE BASE
- 60.000 LF CONCRETE BARRIER, PARAPET
- 60.000 LF CULVERT, CONCRETE ROADWAY PIPE, 24 IN. DIA.
- 116.000 LF CULVERT, CORRUGATED METAL ROADWAY PIPE, 24 IN. DIA.
- 15.000 LF CULVERT, CORRUGATED METAL ROADWAY PIPE, 30 IN. DIA.
- 15.000 LF CULVERT, CORRUGATED METAL ROADWAY PIPE, 36 IN. DIA.
- 16.000 LF CULVERT, LOW CLEARANCE CONCRETE ROADWAY PIPE, EQUIVALENT DIAMETER 36 IN.
- 200.000 CY EXCAVATION, CLASS 10, CHANNEL
- 12000.000 CY EXCAVATION, CLASS 10, ROADWAY AND BORROW
- 1220.000 CY EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
- 3.000 EACH FIRE HYDRANT ADJUSTMENT
- 3.000 EACH FIRE HYDRANT RELOCATION
- 40.000 EACH FLAGGERS
- 1513.000 TON GRANULAR BACKFILL
- 2056.000 TON GRANULAR SHOULDERS, TYPE B
- 2300.000 TON MACADAM STONE BASE
- 2.000 EACH MANHOLE ADJUSTMENT, MAJOR
- 1.000 LS MOBILIZATION
- 10.000 EACH MOBILIZATIONS, EROSION CONTROL
- 4.500 ACRE MULCHING
- 6075.000 LF PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 9 IN. DIA.
- 66.000 LF PRECAST CONCRETE BOX CULVERT, 10 FT. X 4 FT.
- 132.000 LF PRECAST CONCRETE BOX CULVERT, 8 FT. X 6 FT.
- 1088.000 LB REINFORCING STEEL, EPOXY COATED
- 1.000 LS REMOVAL OF EXISTING STRUCTURES
- 100.000 SY REMOVAL OF PAVED DRIVEWAY
- 145.000 LF REMOVE AND REINSTALL RIGID PIPE CULVERT LESS THAN OR EQUAL TO 36 IN.
- 150.000 TON REVETMENT, CLASS E
- 7.000 EACH SAFETY CLOSURE
- 4.500 ACRE SEEDING AND FERTILIZING (URBAN)
- 16.200 CY STRUCTURAL CONCRETE (MISCELLANEOUS)
- 2444.000 CY TOPSOIL, STRIP, SALVAGE AND SPREAD
- 1.000 LS TRAFFIC CONTROL
- 5.000 EACH VALVE BOX EXTENSION
- 14.000 EACH VALVE BOX REPLACEMENT

LOCAL AGENCY LETTING INFORMATION

 Linn County -- L-E34 CULVERTS(18)
 Proposal Guarantee \$ 150,000.00
 County Engineer's Office, Marion , IA, May 30, 2017, 9:00 AM
 331-Pipe Culverts, Grading, culvert extensions, and paving.
 Contact # 319-892-6400 FAX # 319-892-6419

13.800	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
1800.000	TON	CHOKER STONE BASE
126.000	LF	CONCRETE BARRIER, PARAPET
150.000	LF	CULVERT, CONCRETE ROADWAY PIPE, 30 IN. DIA.
312.000	LF	CULVERT, CONCRETE ROADWAY PIPE, 36 IN. DIA.
96.000	LF	CULVERT, CONCRETE ROADWAY PIPE, 42 IN. DIA.
625.000	LF	CURB AND GUTTER, P.C. CONCRETE, 2.0 FT.
101199.000	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
70.000	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
100.000	EACH	FLAGGERS
8.000	CY	FLOWABLE MORTAR
58.000	TON	GRANULAR BACKFILL
13300.000	TON	GRANULAR SHOULDERS, TYPE B
230.000	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
2500.000	TON	MACADAM STONE BASE
1.000	LS	MOBILIZATION
20.000	EACH	MOBILIZATIONS, EROSION CONTROL
53.000	ACRE	MULCHING
158.600	STA	PAINTED PAVEMENT MARKINGS, DURABLE
16.000	EACH	PAINTED SYMBOLS AND LEGENDS, DURABLE
9.000	EACH	PATCHES BY COUNT (REPAIR)
77.000	SY	PATCHES, FULL-DEPTH REPAIR
13905.000	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 9 IN. DIA.
30.000	EACH	PILOT CARS
1675.000	CY	PORTLAND CEMENT CONCRETE OVERLAY, FURNISH ONLY
6867.000	SY	PORTLAND CEMENT CONCRETE OVERLAY, PLACEMENT ONLY (WHITE TOPPING)
48.000	LF	PRECAST CONCRETE BOX CULVERT, 10 FT. X 4 FT.
140.000	LF	PRECAST CONCRETE BOX CULVERT, 4 FT. X 4 FT.
36.000	LF	PRECAST CONCRETE BOX CULVERT, 5 FT. X 4 FT.
60.000	LF	PRECAST CONCRETE BOX CULVERT, 8 FT. X 4 FT.
96.000	LF	PRECAST CONCRETE BOX CULVERT, 8 FT. X 6 FT.
3330.000	LB	REINFORCING STEEL, EPOXY COATED
5.000	EACH	RELOCATION OF VERTICAL STAND PIPE
1.000	LS	REMOVAL OF EXISTING STRUCTURES
5533.000	SY	REMOVAL OF PAVEMENT
1.000	LS	REMOVAL OF SILO AND SHED
4.000	EACH	REMOVE AND REINSTALL CONCRETE PIPE APRONS GREATER THAN 36 IN.
20.000	EACH	REMOVE AND REINSTALL CONCRETE PIPE APRONS LESS THAN OR EQUAL TO 36 IN.
24.000	LF	REMOVE AND REINSTALL RIGID PIPE CULVERT GREATER THAN 36 IN.
42.000	LF	REMOVE AND REINSTALL RIGID PIPE CULVERT LESS THAN OR EQUAL TO 36 IN.
535.000	TON	REVTMENT, CLASS E
6.000	EACH	SAFETY CLOSURE

LOCAL AGENCY LETTING INFORMATION

53.000		ACRE SEEDING AND FERTILIZING (RURAL)
13916.000	LF	SILT FENCE
7758.400	SY	STANDARD OR SLIP FORM PORTLAND CEMENT CONCRETE PAVEMENT, CLASS A, CLASS 2 DURABILITY, 8 IN.
31.300	CY	STRUCTURAL CONCRETE (MISCELLANEOUS)
2.000		EACH SUBDRAIN OUTLET, DR-304
675.000	LF	SUBDRAIN, TILE, 4 IN. DIA.
1.000	LS	TRAFFIC CONTROL

LOCAL AGENCY LETTING INFORMATION

Muscatine County -- L-(LA-5)--73-70

Proposal Guarantee \$ 25,000.00

County boardroom, Muscatine , IA, June 05, 2017, 9:00 AM

RCB Culvert Replacement - Twin Box, Construct new Twin 12'x9'x56' RCB on Lindle Avenue in Section 6, T77N, R2W.

Contact # 563-263-6351 FAX # 563-263-6358

60.000 TON CHOKE STONE BASE
 1.300 ACRE CLEARING AND GRUBBING
 1.000 LS CONSTRUCTION SURVEY
 4685.000 CY EMBANKMENT-IN-PLACE
 800.000 SY ENGINEERING FABRIC
 600.000 CY EXCAVATION, CLASS 10, CHANNEL
 2703.000 CY EXCAVATION, CLASS 10, ROADWAY AND BORROW
 3173.000 CY EXCAVATION, CLASS 10, WASTE
 970.000 CY EXCAVATION, CLASS 20
 465.000 LF FENCE, FIELD
 8.000 EACH FIELD FENCE BRACE PANELS
 375.000 TON GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
 170.000 TON MACADAM STONE BASE
 2170.000 LF MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
 1.000 LS MOBILIZATION
 1.000 EACH MOBILIZATIONS, EMERGENCY EROSION CONTROL
 1.000 EACH MOBILIZATIONS, EROSION CONTROL
 6.600 ACRE MULCHING
 390.000 LF PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
 44623.000 LB REINFORCING STEEL
 1.000 LS REMOVAL OF ASBESTOS
 1.000 LS REMOVAL OF EXISTING BRIDGE
 500.000 TON REVETMENT, CLASS E
 50.000 CY REVETMENT, REMOVE AND REPLACE
 2.000 EACH SAFETY CLOSURE
 3.300 ACRE SEEDING AND FERTILIZING (RURAL)
 2170.000 LF SILT FENCE
 3.300 ACRE STABILIZING CROP - SEEDING AND FERTILIZING
 278.300 CY STRUCTURAL CONCRETE (RCB CULVERT)
 1.000 EACH TEMPORARY STREAM DIVERSION
 1790.000 CY TOPSOIL, STRIP, SALVAGE AND SPREAD
 1.000 LS TRAFFIC CONTROL

LOCAL AGENCY LETTING INFORMATION

Page County -- L-W4-17--73-73
Proposal Guarantee \$ 10,000.00
Auditor's office, Clarinda, IA, May 26, 2017, 11:00 AM
384-Erosion Control, Weir Repair below existing Weir
Contact # 712-542-2510 FAX # 712-542-2766

190.000 CY CONCRETE GROUT FOR REVETMENT OR GABION
1.000 LS Dewatering
3197.000 CY EXCAVATION, CLASS 13, CHANNEL
2740.000 SF PILES, STEEL SHEET
730.000 TON REVETMENT, CLASS B
1330.000 TON REVETMENT, CLASS E

Page County -- L-C32-17--73-73
Proposal Guarantee \$ 10,000.00
Auditor's office, Clarinda, IA, May 26, 2017, 11:00 AM
384-Erosion Control,
Contact # 712-542-2510 FAX # 712-542-2766

650.000 CY BROKEN CONCRETE PLACEMENT
594.000 CY CONCRETE GROUT FOR REVETMENT OR GABION
1.000 LS DEWATERING
4975.000 CY EXCAVATION, CLASS 13, CHANNEL
1.000 LS MOBILIZATION
2450.000 TON REVETMENT, CLASS B
1420.000 TON REVETMENT, CLASS E

Page County -- FM-C073(131)--55-73
Proposal Guarantee \$ 10,000.00
Courthouse, Clarinda , IA, May 26, 2017, 11:00 AM
361-Granular, Granular resurfacing on various FM routes
Contact # 712-542-2510 FAX # 712-542-2766

24750.000 TON GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE

LOCAL AGENCY LETTING INFORMATION

Webster County Secondary Road Department County -- LFM-680303--7X-94

Proposal Guarantee \$ 6250

May 30, 2017 Fort Dodge, IA - Webster County Board Room, IA 10:30 A.M.

Bid Turn-in Location: Webster County Auditor's Office

The project involves replacing the existing 60in. concrete pipe with a new single 10' x 10' x 47' precast concrete box culvert with 15 degree L.A. skewed end sections on Paragon Avenue approximately 1300' south of the Northwest Corner of Section 3, Dayton Township (3-86N-28W) over Drainage District #49 in Webster County, Iowa.

TIED with: N/A

Contact # 515-576-3281 FAX # 515-576-0415

- 340 CY Special Backfill, Furnish & Place
- 70 CY Excavation, CL 10, Rdwy+Borrow
- 750 CY Excavation, CL 10, Waste
- 122.3 CY Modified Subbase, Furnish & Place
- 28 Ton Granular Shoulders, Type B, Furnish & Place
- 1 Sta Shoulder Finishing, Earth
- 141.9 Ton HMA, Standard Traffic, Base Course, 3/4 In. Mix
- 34.4 Ton HMA, Standard Traffic, Int. Course, 1/2 In. Mix
- 34.1 Ton HMA, Standard Traffic, Surf, 1/2 In. Mix, No Fric
- 12.6 Ton Asphalt Binder, PG 58-28S, Standard Traffic
- 1 LS Removal of Existing Structures
- 61 Ton Granular Backfill, Place Only
- 65 CY Flooded Backfill, Furnish & Place
- 960 CY Excavation, CL 20
- 47 LF Precast Conc Box Culvert, 10'x10'
- 2 Each Precast Conc Box Culvert St. End Sec, 10'x10'
- 1 Each Temporary Stream Diversion
- 30 LF Subdrain, CMP, 36
- 50 Ton Revetment, Class E, Furnish & Place
- 286.26 SY Removal of Pavement
- 2.25 Sta Painted Pavement Marking, Water or Solv.
- 1 LS Mobilization