



LOCAL AGENCY LETTING INFORMATION

CONTENTS

DATE ADDED	COUNTY/CITY	LETTING DATE	PAGE NUMBER
July 23, 2024	Jasper	August 8, 2024	2
July 23, 2024	Jasper	August 8, 2024	3
July 23, 2024	Jasper	August 8, 2024	4
July 26, 2024	Buena Vista	August 22, 2024	5
July 24, 2024	Linn	August 27, 2024	8
August 6, 2024	Pottawattamie	September 3, 2024	9
August 6, 2024	Pottawattamie	September 3, 2024	10
August 6, 2024	Pottawattamie	September 3, 2024	11
August 6, 2024	Pottawattamie	September 3, 2024	12

BULLETIN REPORTING FORM

County:	<u>Jasper County</u>	Project No.:	<u>L-C050(C05)--73-50</u>
Proposal Guarantee:	<u>\$0.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>8/8/2024</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>County Engineer</u>	Type of Project:	<u>Bridges</u>
Contact Phone No.:	<u>641-792-5862</u>	Contact FAX No.:	<u>641-791-7740</u>

Specific Description of Project:

80' Steel Girder Bridge Superstructure 80'x24'-6" Deck on a 0° Skew, HL-93 Design Loading and TL-1 Bridge Rail and Guardrail

QUANTITY	UNIT	DESCRIPTION
1	EACH	80' Steel Girder Bridge Superstructure 80'x24'-6" Deck on a 0° Skew, HL-93 Design Loading and TL-1 Bridge Rail and Guardrail

Date: 7/23/2024 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Jasper County</u>	Project No.:	<u>L-C050(D05)--73-50</u>
Proposal Guarantee:	<u>\$0.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>8/8/2024</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>County Engineer</u>	Type of Project:	<u>Bridges</u>
Contact Phone No.:	<u>641-792-5862</u>	Contact FAX No.:	<u>641-791-7740</u>

Specific Description of Project:

120' Steel Girder Bridge Superstructure 120'x24'-6" Deck on a 0° Skew, HL-93 Design Loading and TL-1 Bridge Rail and Guardrail

QUANTITY	UNIT	DESCRIPTION
1	ACRE	120' Steel Girder Bridge Superstructure 120'x24'-6" Deck on a 0° Skew, HL-93 Design Loading and TL-1 Bridge Rail and Guardrail

Date: 7/23/2024 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Jasper County</u>	Project No.:	<u>L-C050(K15)--73-50</u>
Proposal Guarantee:	<u>\$0.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>8/8/2024</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>County Engineer</u>	Type of Project:	<u>Bridges</u>
Contact Phone No.:	<u>641-792-5862</u>	Contact FAX No.:	<u>641-791-7740</u>

Specific Description of Project:

80' Steel Girder Bridge Superstructure 80'x24'-6" Deck on a 0° Skew, HL-93 Design Loading and TL-1 Bridge Rail and Guardrail

QUANTITY	UNIT	DESCRIPTION
1	EACH	80' Steel Girder Bridge Superstructure 80'x24'-6" Deck on a 0° Skew, HL-93 Design Loading and TL-1 Bridge Rail and Guardrail

Date: 7/23/2024 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Buena Vista County	Project No.:	RC-C011(118)--9A-11
Proposal Guarantee:	\$375,000.00	DBE or TSB Goal:	
Date of Letting:	8/22/2024	Time of Letting:	03:00 PM
Bid Turn-In Location:	County Engineer	Type of Project:	Road Improvements
Contact Phone No.:	7127492540	Contact FAX No.:	712-749-2704

Specific Description of Project:

Grading and Paving P.C.C. on 70th Ave. and 600th St.

QUANTITY	UNIT	DESCRIPTION
66	LF	CULVERT, CORRUGATED POLYETHYLENE ROADWAY PIPE, 60 IN. DIA
180.4	UNIT	CLEARING AND GRUBBING
18049	CY	EMBANKMENT-IN-PLACE
21977	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
87	STA	LOCATING TILE LINES
10697	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
18049	CY	COMPACTION WITH MOISTURE AND DENSITY CONTROL
55559	SY	SUBGRADE STABILIZATION MATERIAL,
4537.05	TON	GRANULAR SHOULDERS, TYPE B
9346	TON	CHOKE STONE BASE
21995	TON	MACADAM STONE BASE
5	EACH	RELOCATION OF MAIL BOXES
174	STA	BLADING AND SHAPING SHOULDER MATERIAL
27721.3	SY	STANDARD OR SLIP FORM PORTLAND CEMENT CONCRETE PAVEMENT, CLASS C, CLASS 3 DURABILITY, 9 IN.
0.6	LS	PORTLAND CEMENT CONCRETE PAVEMENT SAMPLES
9	EACH	RUMBLE STRIP PANEL (PCC SURFACE)
55559	SY	SURFACE PREPARATION
20	TON	CALCIUM CHLORIDE APPLIED
0.02	MGAL	WATER FOR SURFACE APPLICATION OF CALCIUM CHLORIDE
1267.5	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
32207.76	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR PCC PAVEMENT SMOOTHNESS (BY SCHEDULE)
1442	CY	FLOODED BACKFILL
1442	CY	COMPACTION WITH MOISTURE CONTROL (STRUCTURES)
26	EACH	SAFETY GRATE, TYPE 1, CULVERT
20	EACH	APRONS, METAL, 18 IN. DIA.
6	EACH	APRONS, METAL, 24 IN. DIA.
4	EACH	APRONS, METAL, 36 IN. DIA.
6	EACH	APRONS, METAL, 60 IN. DIA.
604	LF	CULVERT, CORRUGATED POLYETHYLENE ROADWAY PIPE, 18 IN.
112	LF	CULVERT, CORRUGATED POLYETHYLENE ROADWAY PIPE, 24 IN.
28	LF	CULVERT, CORRUGATED POLYETHYLENE ROADWAY PIPE, 36 IN.

333	LF	REMOVE STORM SEWER PIPE LESS THAN OR EQUAL TO 36 IN.
112	LF	REMOVE STORM SEWER PIPE GREATER THAN 36 IN.
93	TON	REVETMENT, CLASS E
32	SY	REMOVAL OF PAVEMENT
1060	LF	REMOVAL OF FENCE,
1	EACH	FIELD OFFICE
14	EACH	REMOVAL OF TYPE A SIGN
0.6	LS	CONSTRUCTION SURVEY
233.96	STA	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED
6	EACH	PAINTED SYMBOLS AND LEGENDS, WATERBORNE OR SOLVENT-BASED
262.58	STA	GROOVES CUT FOR PAVEMENT MARKINGS
0.6	LS	TRAFFIC CONTROL
12	EACH	FLAGGERS
6	EACH	PILOT CARS
0.6	LS	MOBILIZATION
0.6	LS	RAILROAD PROTECTIVE LIABILITY INSURANCE FOR CHICAGO, CENTRAL AND PACIFIC RAILROAD / CEDAR RIVER RAILROAD COMPANY
10.8	ACRE	MULCHING
10.8	ACRE	SEEDING AND FERTILIZING (RURAL)
700	LF	SILT FENCE
700	LF	REMOVAL OF SILT FENCE OR SILT FENCE FOR DITCH CHECKS
700	LF	MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
100	LF	STABILIZED CONSTRUCTION ENTRANCE, EC-303
9600	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
9600	LF	REMOVAL OF PERIMETER AND SLOPE OR DITCH CHECK SEDIMENT CONTROL DEVICE
5	EACH	MOBILIZATIONS, EROSION CONTROL
6	EACH	MOBILIZATIONS, EMERGENCY EROSION CONTROL
37	LF	CULVERT, CORRUGATED POLYETHYLENE ROADWAY PIPE, 60 IN. DIA
935.8	UNIT	CLEARING AND GRUBBING
12975	CY	EMBANKMENT-IN-PLACE
13365	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
62	STA	LOCATING TILE LINES
8393	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
12975	CY	COMPACTION WITH MOISTURE AND DENSITY CONTROL
38525	SY	SUBGRADE STABILIZATION MATERIAL,
2817.06	TON	GRANULAR SHOULDERS, TYPE B
6508	TON	CHOKE STONE BASE
14071	TON	MACADAM STONE BASE
4	EACH	RELOCATION OF MAIL BOXES
106.2	STA	BLADING AND SHAPING SHOULDER MATERIAL
18639.4	SY	STANDARD OR SLIP FORM PORTLAND CEMENT CONCRETE PAVEMENT, CLASS C, CLASS 3 DURABILITY, 9 IN.
0.4	LS	PORTLAND CEMENT CONCRETE PAVEMENT SAMPLES
38525	SY	SURFACE PREPARATION
14	TON	CALCIUM CHLORIDE APPLIED
0.01	MGAL	WATER FOR SURFACE APPLICATION OF CALCIUM CHLORIDE
577.9	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
22034.26	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR PCC PAVEMENT SMOOTHNESS (BY SCHEDULE)

1558	CY	FLOODED BACKFILL
1558	CY	COMPACTION WITH MOISTURE CONTROL (STRUCTURES)
45	EACH	SAFETY GRATE, TYPE 1, CULVERT
20	EACH	APRONS, METAL, 18 IN. DIA.
7	EACH	APRONS, METAL, 24 IN. DIA.
8	EACH	APRONS, METAL, 60 IN. DIA.
525	LF	CULVERT, CORRUGATED POLYETHYLENE ROADWAY PIPE, 18 IN.
222	LF	CULVERT, CORRUGATED POLYETHYLENE ROADWAY PIPE, 24 IN.
459	LF	REMOVE STORM SEWER PIPE LESS THAN OR EQUAL TO 36 IN.
171	LF	REMOVE STORM SEWER PIPE GREATER THAN 36 IN.
147	TON	REVETMENT, CLASS E
235	SY	REMOVAL OF PAVEMENT
2810	LF	REMOVAL OF FENCE,
7	EACH	REMOVAL OF TYPE A SIGN
0.4	LS	CONSTRUCTION SURVEY
153.71	STA	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED
1	EACH	PAINTED SYMBOLS AND LEGENDS, WATERBORNE OR SOLVENT-BASED
126.04	STA	GROOVES CUT FOR PAVEMENT MARKINGS
1	LS	NO EXCUSE ROAD OPENING BONUS,
0.4	LS	TRAFFIC CONTROL
8	EACH	FLAGGERS
4	EACH	PILOT CARS
0.4	LS	MOBILIZATION
0.4	LS	RAILROAD PROTECTIVE LIABILITY INSURANCE FOR CHICAGO, CENTRAL AND PACIFIC RAILROAD / CEDAR RIVER RAILROAD COMPANY
8.8	ACRE	MULCHING
8.8	ACRE	SEEDING AND FERTILIZING (RURAL)
249	LF	SILT FENCE
249	LF	REMOVAL OF SILT FENCE OR SILT FENCE FOR DITCH CHECKS
249	LF	MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
100	LF	STABILIZED CONSTRUCTION ENTRANCE, EC-303
3792	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
3792	LF	REMOVAL OF PERIMETER AND SLOPE OR DITCH CHECK SEDIMENT CONTROL DEVICE
4	EACH	MOBILIZATIONS, EROSION CONTROL
4	EACH	MOBILIZATIONS, EMERGENCY EROSION CONTROL

Date: 7/25/2024 Local Agency Official: Bret Wilkinson, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Linn County	Project No.:	HIGHWAY 13 WATER MAIN
Proposal Guarantee:	\$100,000.00	DBE or TSB Goal:	
Date of Letting:	8/27/2024	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	WATER MAIN EXTENSION
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

INSTALL 12" WATER MAIN ALONG HIGHWAY 13 FROM 35TH AVE INTERSECTION TO COUNTY HOME ROAD INTERSECTION

QUANTITY	UNIT	DESCRIPTION
3	EACH	VALVE, GATE, 8"
18	EACH	VALVE, GATE, 12"
10	EACH	FIRE HYDRANT ASSEMBLY
2	EACH	FLUSHING DEVICE BLOWOFF 2"
4400	LB	FITTING BY WEIGHT
40	LF	REMOVE AND REINSTALL FENCE
104	LF	WATER MAIN, TRENCHED, 8" C-900
8080	LF	WATER MAIN, TRENCHED, 12" C-900
5170	LF	WATER MAIN, TRENCHED, 12" DIP, W/ NITRILE GASKETS
82	LF	WATER MAIN, AUGERED 8" C-900
205	LF	WATER MAIN, AUGERED 12" C-900
421	LF	WATER MAIN, TRENCHED, 8" DIP, W/ NITRILE GASKETS ENCASED
1	LS	TRAFFIC CONTROL
1	LS	HYDRAULIC SEEDING
1	LS	MOBILIZATION

Date: 7/24/2024 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County: Pottawattamie County Project No.: L-2025(W31MATERIALS)-78
 Proposal Guarantee: \$1,500.00 DBE or TSB Goal: _____
 Date of Letting: 9/3/2024 Time of Letting: 10:00 AM
 Bid Turn-In Location: County Engineer Type of Project: Materials Furnish - Beams
 Contact Phone No.: 712-328-5608 Contact FAX No.: 712-328-4751

Specific Description of Project:

Furnish beams for bridge construction.

QUANTITY	UNIT	DESCRIPTION
5	EACH	Steel Beam - W30x124x60' - Weathering Steel - 1/2" Camber
10	EACH	Steel Beam - W30x90x30' - Weathering Steel - 1/2" Camber

Date: 8/5/2024 Local Agency Official: John Rasmussen, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County: Pottawattamie County Project No.: L-2025(W31MATERIALS)-78
 Proposal Guarantee: \$1,500.00 DBE or TSB Goal: _____
 Date of Letting: 9/3/2024 Time of Letting: 10:00 AM
 Bid Turn-In Location: County Engineer Type of Project: Materials Furnish - Timber Deck Panels
 Contact Phone No.: 712-328-5608 Contact FAX No.: 712-328-4751

Specific Description of Project:

Furnish 6" nail laminated deck panels for 120' steel beam bridge.

QUANTITY	UNIT	DESCRIPTION
120	LF	4' x 6" Nail Laminated Treated Timber Transverse Deck Panels

Date: 8/5/2024 Local Agency Official: John Rasmussen, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County: Pottawattamie County Project No.: L-2025(W31MATERIALS)-78
 Proposal Guarantee: \$1,500.00 DBE or TSB Goal: _____
 Date of Letting: 9/3/2024 Time of Letting: 10:00 AM
 Bid Turn-In Location: County Engineer Type of Project: Materials Furnish - Piling
 Contact Phone No.: 712-328-5608 Contact FAX No.: 712-328-4751

Specific Description of Project:

Furnish piling materials for bridge construction.

QUANTITY	UNIT	DESCRIPTION
320	LF	PILES, STEEL, HP 8 X 36
600	LF	PILES, STEEL, HP 10 X 42
804	LF	PILES, STEEL, HP 12 X 53
1980	SF	PILES, STEEL SHEET
120	SF	PILES, STEEL SHEET, 120 degree corner

Date: 8/6/2024 Local Agency Official: John Rasmussen, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County: Pottawattamie County Project No.: L-2025(W31MATERIALSMISC)-78
 Proposal Guarantee: \$1,000.00 DBE or TSB Goal: _____
 Date of Letting: 9/3/2024 Time of Letting: 10:00 AM
 Bid Turn-In Location: County Engineer Type of Project: Materials Furnish - Misc Materials
 Contact Phone No.: 712-328-5608 Contact FAX No.: 712-328-4751

Specific Description of Project:

Furnish miscellaneous steel materials for bridge construction.

QUANTITY	UNIT	DESCRIPTION
4	EACH	Flared End Terminal - Thrie Beam Guardrail
250	LF	Thrie Beam Guardrail
320	LF	W6 x 15 Steel Beam
51	LF	L6x3.5x3/8 Angle Iron
128	LF	C12x25 C Channel
120	LF	C15 x 33.9 C Channel

Date: 8/6/2024 Local Agency Official: John Rasmussen, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us