

## TABLE A

### Price Adjustment for Aggregate Gradation Test Deviation

Specified Sieve Size	Deviation in Percent Passing	PCC
<b>% Contract Unit Price Adjustment</b>		
19 mm, 26.5 mm, 37.5 mm (3/4", 1", 1½")	0.1 – 5.0	1
	5.1 +	2
4.75 mm, 9.5 mm, 13.2 mm (#4, 3/8", ½")	0.1 – 4.0	1
	4.1 – 7.0	2
	7.1 +	3
2.36 mm thru 150 µm (#8 thru #100)	0.1 – 3.0	1
	3.1 – 5.0	2
	5.1 – 7.0	3
	7.1 +	4
75 µm (#200)	0.1 – 0.5	1
	0.6 – 1.0	2
	1.1 – 2.0	3
	2.1 – 4.0	4

#### PCC

For Structural Concrete, when a lot verification sample is non-complying, the limits of the non-complying material will be determined by testing previous and subsequent lot verification samples. The quantity of material identified as being non-complying will be price adjusted per column PCC in Table A.

For non-QM-C Paving and the #200 sieve for QM-C paving, when the lot verification sample is non-complying, the limits of the non-complying material will be identified by testing previous and subsequent samples within the lot. The quantity of material identified as being non-complying will be price adjusted per column PCC in Table A.

#### Application of Price Adjustment

1. All percent passing (and average percent passing) values are to be calculated to two significant figures.
2. The Price Adjustment percentage (to be applied to the quantity of non-complying material) is the sum of percentages determined for individual out-of-tolerance sieve sizes.
3. For PCC Overlays, the Price Adjustment applies to both the Furnish and Place items.